



**Product Family**  
**Uvex Flex Seal**








Lightweight, silicone body conforms to assure the highest level of comfort and eye protection. Exceptional chemical splash and impact resistance. Fits over most prescription eyewear.

Learn more about all of our Uvex plano products at [uvex.us](http://uvex.us) >

Learn more about our Uvex Rx safety frames at [uvexrx.com](http://uvexrx.com) >



**Product Numbers & Ordering Information**

Product Numbers	Details
 S3400X	<b>Navy Body, Neoprene Headband</b> Clear Lens, Uvextreme Anti-fog Coating
 S3405X	<b>Navy Body, Fabric Headband</b> Clear Lens, Uvextreme Anti-fog Coating
 S3410X	<b>Navy Body, Neoprene Headband</b> Gray Lens, Uvextreme Anti-fog Coating
 S3435X	<b>Navy Body, Neoprene Headband</b> Shade 5.0 Infra-dura Lens, Uvextreme Anti-fog Coating
 S3420X	<b>Gray Body, Neoprene Headband</b> Clear Lens, Uvextreme Anti-fog Coating
 S3425X	<b>Gray Body, Neoprene Headband</b> Gray Lens, Uvextreme Anti-fog Coating
 S3430X	<b>Navy Body, Neoprene Headband</b> Shade 3.0 Infra-dura Lens, Uvextreme Anti-fog Coating



S710X

**Replacement Lens**  
Clear Lens, Uvextreme Anti-fog Coating



S715X

**Replacement Lens**  
Gray Lens, Uvextreme Anti-fog Coating



S828

**Replacement Neoprene Headband w/ Slides**



S829

**Replacement Fabric Headband w/ Slides**

**Additional Information**

Packaging Ind. Box, 50/case

**Overview**

**Key Features**

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Provides exceptional chemical splash and impact resistance
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimize fogging
- Fits over most prescription eyewear
- Easy and economical lens replacement system
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Meets ANSI Z87+ (High Impact) and certified to the requirements of CSA Z94.3 standards
- Made in USA

**Recommended Industries/Use**

- Chemical
- Construction
- Forestry
- Government
- Mining
- Municipal Services
- Oil and Gas
- Steel and Metals
- Transportation
- Utilities

**Hazards**

- Abrasion
- Airborne Particulates
- Biohazard
- Chemical
- Impact
- Splash

**Regulations**

- ANSI Z87+ (High Impact) - Meets ANSI Z87+ (High Impact)
- ANSI Z.87.1/1989, CA 21,199 - Meets ANSI Z.87.1/1989, CA 21,199 ([http://www.mte.gov.br/Empregador/segsau/Pesquisa/CA\\_DET.asp?vNRCAProc=21199&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=](http://www.mte.gov.br/Empregador/segsau/Pesquisa/CA_DET.asp?vNRCAProc=21199&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=))
- CSA Z94.3 - Certified to the requirements of CSA Z94.3 standards

**Historical Brand**

Uvex

**Warranty Information**

Limited warranty

**Specifications**

Lens overall width

- 160 mm (6.25) "

**Lens material**

- Polycarbonate

**Lens coating**

- Uvextreme® AF

**Lens thickness**

- 2.3 mm (0.09) "

**Available lens tints**

- Clear, Gray, Shade 3.0, Shade 5.0

**Replacement lenses available (yes/no)**

- Yes

**Rx capable**

- Fits over most prescription lenses

**Goggle body material**

- Silicone

**Headband material**

- Neoprene, fabric

**Goggle weight**

- 114.25 grams (4.0 oz.)

**Available body colors**

- Navy, Gray

**Country of origin**

- Made in USA

## Training & Proper Use

All products come packaged with instructions and warnings for proper use.

## Technical Support

(800) 682-0839, Sperian Protection Americas, Customer Care

### RELATED PRODUCTS