









**Product Family**  
**Miller Contractor Harnesses**

Specifically designed for use in construction











Visit [MillerFallProtection.com](http://MillerFallProtection.com) >



**Product Numbers & Ordering Information**

Product Numbers	Details
 650CN-BDP/CFGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b>                      Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt - custom size - measurements must be provided</p>
 650CN-BDP/S/MGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b>                      Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- Small/Medium</p>
 650CN-BDP/UGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b>                      Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- universal</p>
 650CN-BDP/XSGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b>                      Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- XSmall</p>
 650CN-BDP/XXLGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b>                      Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- XXL</p>
 650CN-BP/CFGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b>                      Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, and removable belt - custom size - measurements must be provided</p>

Miller Contractor Harnesses

	650CN-BP/S/MGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, and removable belt- Small/Medium</p>
	650CN-BP/UGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, and removable belt- universal</p>
	650CN-BP/XXLGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, back/shoulder pad combo, back lumbar pad, and removable belt- XXL</p>
	650CNFD-BDP/S/MGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, front D-ring, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- Small/Medium</p>
	650CNFD-BDP/UGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, front D-ring, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- universal</p>
	650CNFD-BDP/XXLGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, front D-ring, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- XXLLarge</p>
	650CNFSD-BP/UGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, shoulder dees, front dee, back/shoulder pad combo, back lumbar pad, and removable belt- universal</p>
	650CN-QC-BDP/S/MGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, QC chest and legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- Small/Medium</p>
	650CN-QC-BDP/UGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, QC chest and legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- universal</p>
	650CN-QC-BDP/XXLGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, QC chest and legs adjustments, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- XXLLarge</p>
	650CNSD-BDP/UGN	<p><b>Contractor Harness with Combination Back D-ring Pad/Shoulder Pads</b></p> <p>Friction buckle shoulder adjustments, MB chest adjustments, TB legs adjustments, Shoulder Dees, back/shoulder pad combo, back lumbar pad, side D-rings, and removable belt- universal</p>

### Key Features

- Lightweight for greater comfort; non-stretch webbing
- Unique combination back D-ring pad/shoulder pads that minimize discomfort/stress around the neck and shoulders when using a tool belt
- Soft lumbar back pad for additional support and comfort
- Waist belt (removable) to accommodate tool pouches
- Single, back D-ring for fall protection
- Tongue buckle leg straps for easy adjustment
- Friction buckle shoulder adjustments; mating buckle chest adjustment
- Self-contained label pack positioned for easy access
- Two (2) pull-free lanyard rings

### Recommended Industries/Use

- Construction

### Hazards

- Confined Space
- Fall from height

### Regulations

- Meets all applicable OSHA, ANSI and CSA standards

### Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

## Specifications

### Maximum Working Capacity

- All Miller harnesses are rated to 400 lbs. capacity

### Specification Sheets

- For full engineering specification sheets, go to downloads and documentation

## Literature & Documents

### Miller Contractor Harness Brochure - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/20588/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/20588/1033.aspx)

Learn more about the Contractor harness

### Miller Harness and Body Belts Manual - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/16289/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/16289/1033.aspx)

Miller Harness and Body Belts Instruction Manual

### SP412 Miller 650CN Harness Series - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/16307/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/16307/1033.aspx)

Miller 650CN Harness Series Spec Sheet

## Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

## Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

## Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com