



PRODUCT NUMBER: NFD11HD
Cold Grip Plus 5

Handling in cold conditions of damp, oily or greasy parts with high cut risks. Ideally suited to tasks where workers need a combination of cold and cut protection, but don't want to give up comfort and dexterity.



Overview

Reference Number

NFD11HD

Product Type

Gloves

Range

Thermal Protection

Line

Cold

Brand

Honeywell

Industry

- Agriculture
- Building and Construction
- Catering
- Energy or Electricity
- Food Industries
- General Industry
- Green Spaces
- Logistics
- Maintenance
- Mining and Quarrying
- Offshore
- Ship Building
- Telecoms
- Wood Industries

Product Use

Handling in cold conditions of damp, oily or greasy parts with high cut risks. Ideally suited to tasks where workers need a combination of cold and cut protection, but don't want to give up comfort and dexterity.

Features & Benefits

Feature

Orange polyamide / composite fiber knitted glove
 3/4 Black foam PVC HPT (Hydropellent technology™) coating Seamless
 Brushed synthetic liner
 Elastic knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort.

Coating won't stiffen when cold, so glove retains its flexibility

RESISTANCE

The Polyamide yarn reduces linting for the most sensitive applications and can be easily laundered for extended use.

The foam PVC HPT is a soft, durable and flexible coating that repels liquids to provide a firm wet or dry grip. You need less pressure to handle an oily piece. It also provides an excellent abrasion resistance equal to heavier gloves. The 7 gauge brushed synthetic liner ensures superior insulation from the cold down to -20°C. HYGIENE The dark colors make the glove less dirty.

Technical Description

Description

CE CATEGORY: II Intermediary risks

In accordance with standards:

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

EN 511-2004 Cold hazards

CHARACTERISTICS:

Orange polyamide / composite fiber knitted glove
 3/4 Black foam PVC HPT (Hydropellent technology™) coating Seamless
 Brushed synthetic liner
 Elastic knitted wrist

Product Technology

Knitted dipped

Fiber

Polyamide / composite fiber

Gauge

15

Glove/liner color

Orange

Coating Type

PVC HPT

Coating Color

black

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7S to 11XXL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance	5
Tear resistance	3

Puncture resistance	2
---------------------	---

EN 511- Protection in cold temperatures:

Resistance to conductive cold	0
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL
NFD11HD XX
EN 420
EN 388: 3532
EN 511: 020

Certifications

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/10/15/1008

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/10/15/1008

Additional Information

User Manual

UI 105

User Information Sheet

105

Maintenance

Storage Information

Minimum packaging 12 pairs.
Cartons of 72 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/10/15/1008

To the following model of personal protective equipment :

* protective glove against mechanical risks, cold risks.

* reference of the model : NFD11HD

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 12th, 2015

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : NFD11HD

Basic Model

Dated : OCTOBER 2015

Glove composed of : gauge 15 polyamide an outer knitted lining for cold with 3/4 PVC coating and an insert of Terry lining.

Available sizes :

6 7 8 9 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Orange	Polyamide/ High performance polyethylene	13	
	Black	PVC		1,25mm
BACK	Orange	Polyamide/ High performance polyethylene	13	
LINING	Black	Cotton, polyester, Polyamide, acrylic	10	
CUFF	Orange	Polyamide/ High performance polyethylene	13	
	Black	elastic rubber	13	
BINDING	Black	Polyester, elastane		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 511 : 2006 - Protective gloves against cold
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		L150812711_1 L150913739_1	
Azo		L150812711_1	
EN 388		L150812776_1 L150913739_1 L150914661_1	
EN 511		L150913739_1 L150812801_1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	5	3	2

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:

Convective cold	Contact cold	Water penetration
0	2	0

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: NFD11HD
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for cold risks followed by the performance levels
- * information pictogram

Marking example:

