

# Rittal – The System.

Faster – better – everywhere.

## **Baying systems TS 8 – TS 8005.500**

Date : Jan 29, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Baying systems TS 8 – TS 8005.500

erstellt am : 29.01.2015 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description













<b>Material:</b>	Enclosure frame: Carbon steel, 1.5 mm Roof: Carbon steel, 1.5 mm Door: Carbon steel, 2.0 mm Rear panel: Carbon steel, 1.5 mm Base plates: Carbon steel, 1.5 mm Mounting plate: Carbon steel, 3.0 mm
<b>Surface finish:</b>	Enclosure frame: Dipcoat-primed Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate and base plates: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>IK code:</b>	IK09
<b>Supply includes:</b>	Enclosure frame with door(s) Roof plate Rear panel, detachable 4 eyebolts Lock: 3 mm double-bit Base Plates Mounting plate
<b>Packaging unit:</b>	1 pc(s).
<b>EAN:</b>	4028177250826

Customs tariff number:	94032080
eCl@ss 5.1:	27180101
eCl@ss 7.0:	27180101

## Product features

Dimensions:	Height: 2000 mm ( 79 " ) Width: 1000 mm ( 39 " ) Depth: 500 mm ( 20 " )
Mounting plate:	Height: 1896 mm ( 75 " ) Width: 899 mm ( 35 " )
Number of doors:	2
Weight:	157.1 kg ( 346.3 lb. )

## Approvals

Approvals:	<ul style="list-style-type: none"> <li> <a href="#">Bureau Veritas (EN)</a></li> <li> <a href="#">CSA (EN)</a></li> <li> <a href="#">Germanischer Lloyd (EN)</a></li> <li> <a href="#">Lloyds Register of Shipping</a></li> <li> <a href="#">Norske Veritas (EN)</a></li> <li> <a href="#">Russian Maritime Register of Shipping (EN)</a></li> <li> <a href="#">TUV (DE)</a></li> <li> <a href="#">UL + C-UL (EN)</a></li> </ul>
Certificates:	<ul style="list-style-type: none"> <li> <a href="#">IK-Code (EN)</a></li> <li> <a href="#">Protection category (EN)</a></li> </ul>
Declarations:	<ul style="list-style-type: none"> <li> <a href="#">Declaration of conformity (DE)</a></li> <li> <a href="#">Manufacturer's declaration (DE)</a></li> </ul>

## Downloads

Data sheets:	 <a href="#">Technical details (EN)</a>
Documentation:	<ul style="list-style-type: none"> <li> <a href="#">Instructions (FR, EN, DE)</a></li> <li> <a href="#">Load brochure (EN, DE)</a></li> <li> <a href="#">PE conductor brochure</a></li> </ul>
CAD drawings:	Request

Please note that there are the following alternative products:



SE 8 System Enclosures

