









Product Family
Titan II Non-Stretch Harnesses

Lightweight, durable webbing for all day comfort and dependability.

[Visit MillerFallProtection.com >](#)
[Interactive Miller Catalog >](#)
[Access the Miller Photo Gallery >](#)



Product Numbers & Ordering Information

Product Numbers	Details
 T2000/UAK	Titan II Non-Stretch Harness Sliding back D-ring; mating buckle chest and legs
 T2007/UAK	Titan II Non-Stretch Harness Sliding back D-ring; side D-rings; mating buckle chest and legs
 T4000/UAK	Titan II Non-Stretch Harness Sliding back D-ring; mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal
 T4000FD/UAK	Titan II Non-Stretch Harness Sliding back D-ring; front D-ring, mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal
 T4007/UAK	Titan II Non-Stretch Harness Sliding back D-ring; side D-rings, mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal
 T4007FD/UAK	Titan II Non-Stretch Harness Sliding back D-ring; front D-ring, side D-rings, mating buckle legs, chest and shoulder straps; sub-pelvic strap - universal

Titan Non-Stretch Harnesses



T4500/UAK

Titan II Non-Stretch Harness

Sliding back D-ring; tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal



T4500FD/UAK

Titan II Non-Stretch Harness

Sliding back D-ring; front D-ring, tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal



T4507/UAK

Titan II Non-Stretch Harness

Sliding back D-ring; side D-rings; tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal



T4507FD/UAK

Titan II Non-Stretch Harness

Sliding back D-ring; side D-rings; front D-ring, tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal



T4577/UAK

Titan II Contractor Harness

Sliding back D-ring; tongue buckle legs, mating buckle chest; friction buckle shoulder straps; side D-rings; shoulder/waist padding and removable belt - universal

Overview

Key Features

- Easier vertical adjustability that stays in place, slip resistant back D-ring pad and forward positioned side D-rings, keeping your tool bags in the right place
- More comfort and better fit with lighter, strategically-placed padding that provides optimal airflow
- Increased worksite safety with Hi-Viz color webbing and ANSI Z359.11 compliance
- Quick availability with in-stock items

Hazards

- Confined Space
- Fall from height

Regulations

- - Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Maximum Working Capacity

- Rated to 400 lbs. capacity

Literature & Documents

Titan II Brochure - US

Titan Non-Stretch Harnesses

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/4294995413/1033.aspx

- Easier vertical adjustability that stays in place, slip resistant back D-ring pad and forward positioned side D-rings, keeping your tool bags in the right place
- More comfort and better fit with lighter, strategically-placed padding that provides optimal airflow
- Increased worksite safety with Hi-Viz color webbing

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or email: hsptechsupport@honeywell.com

Technical Support

Contact Honeywell Technical Service at 800/873-5242 or email: hsptechsupport@honeywell.com