

**WQB A/24**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

**Product image**



**General ordering data**

Version	Cross-connector (terminal), when screwed in, black, 24 A, Number of poles: 24, Pitch in mm (P): 5.10, Insulated: Yes, Width: 123.22 mm
Order No.	<a href="#">1579000000</a>
Type	WQB A/24
GTIN (EAN)	4008190134211
Qty.	20 pièce(s)

## WQB A/24

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Caractéristiques techniques

### Dimensions and weights

Depth	2,5 mm	Depth (inches)	0,098 inch
Height	23,5 mm	Height (inches)	0,925 inch
Width	123,22 mm	Width (inches)	4,851 inch
Net weight	7,18 g		

### Temperatures

Storage temperature	-25 °C...55 °C	Continuous operating temp., max.	70 °C
---------------------	----------------	----------------------------------	-------

### Material data

Material	tinned copper	Colour	black
----------	---------------	--------	-------

### System specifications

Version	For the terminals
---------	-------------------

### Additional technical data

Explosion-tested version	No	Installation advice	Feed-through (bushing), Direct mounting
Type of fixing	when screwed in		

### Cross-connector

Number of cross-connected terminals	24	Rated current, multi-pole	24 A
Type	Cross-connector		

### Dimensions

Pitch in mm (P)	5,1 mm
-----------------	--------

### General

Installation advice	Feed-through (bushing), Direct mounting	Number of poles	24
---------------------	---	-----------------	----

### Rating data

Rated voltage	800 V	Rated current	24 A
---------------	-------	---------------	------

### Classifications

ETIM 6.0	EC000489	ETIM 7.0	EC000489
ETIM 8.0	EC000489	ETIM 9.0	EC000489
ECLASS 9.0	27-14-11-40	ECLASS 9.1	27-14-11-40
ECLASS 10.0	27-14-11-40	ECLASS 11.0	27-14-11-40
ECLASS 12.0	27-14-11-40	ECLASS 13.0	27-25-03-03
ECLASS 14.0	27-25-03-03		

### Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Date de création 26 novembre 2024 13:22:22 CET

Niveau du catalogue 26.11.2024 / Toutes modifications techniques réservées

**Fiche de données****WQB A/24**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Caractéristiques techniques****Approvals**

ROHS	Conform
------	---------

**Downloads**

Engineering Data	<a href="#">CAD data – 18599_WQB_A-24_DXF.dxf</a> <a href="#">CAD data – STEP</a>
User Documentation	<a href="#">StorageConditionsTerminalBlocks</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>