



PRODUCT-DETAILS

LTGCS03B-C

CFME ACIER GALV N HD 3/4 30M/100PI



Informations générales

Extension du type de produit	LTGCS03B-C
Code de produit	7TAA012LH0R0002
EAN	5415022390957
Description courte	CFME ACIER GALV N HD 3/4 30M/100PI
Description longue	Conduit flexible métallique étanche, noir. Usage général. Âme en acier galvanisé avec tresse en cuivre et gaine en PVC. Grosseur de conduit 3/4 pouce heavy duty. Longueur 30 mètres/100 pieds.

Ordering

EAN	5415022390957
Nombre des douanes tarif	8307106000

Dimensions

Poids net	.43 lb 195.011 g
-----------	---------------------

Container Information

Emballage Niveau 2	100 ft
--------------------	--------

Unités

Emballage Niveau 2	20.38 in
Largeur	518 mm
Emballage Niveau 2	8 in
Hauteur	203 mm
Emballage Niveau 2	20.75 in
Longueur	527 mm

Additional Information

Application	For use to CEC as described in Section 12-1300 for dry damp or wet locations where flexibility is required
Marque / Étiquette	T&B Conduit
Couleur	Black
Inside Diameter	0.820 in
Matériau	Galvanised Steel
Nominal Size	3/4 in
Number of Batteries	0
Outside Diameter	1.050 in
Nom du produit	T&B LIQUIDTIGHT FITTINGS
Type de produit	Liquid Tight Flexible Metallic Conduit
Radius	109 mm
Special Functions	Designed to meet CSA C22.2 No. 56 ID/OD dimension requirements
Normes et standards	CSA, RoHS
Surface Finishing	PVC Jacket
UPC	786210107493

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000003
Declaration of Conformity - CE	9AKK107492A9893
Instructions and Manuals	LTGCS03B-C

Classifications

ETIM 6	EC001179 - tuyau de protection métallique
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5543 >> Liquid Tight Conduit

Catégories

Produits basse tension → Produits d'installation → Protection des câbles, antidéflagrant et éclairage → Liquidtight Fittings

