

**SSCH 10X3X1000 CU/SN**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

**Product image**

Of all the metals used, copper has the best electrical conductivity, which results in the highest short-circuit resistance. This makes the copper busbar the most widely used variant.

**General ordering data**

Version	Busbar (terminal), silver, Height: 1000 mm, Depth: 3 mm, Copper
Order No.	<a href="#">0348900000</a>
Type	SSCH 10X3X1000 CU/SN
GTIN (EAN)	4008190024802
Qty.	1 m

## SSCH 10X3X1000 CU/SN

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Caractéristiques techniques

### Dimensions and weights

Depth	3 mm	Depth (inches)	0,118 inch
Height	1 000 mm	Height (inches)	39,37 inch
Width	10 mm	Width (inches)	0,394 inch
Net weight	234,08 g		

### Material data

Material	Copper	Surface finish	tinned
Colour	silver		

### Additional technical data

Installation advice	Direct mounting
---------------------	-----------------

### General

Installation advice	Direct mounting	Surface finish	tinned
---------------------	-----------------	----------------	--------

### Rating data

Rated current	140 A
---------------	-------

### Classifications

ETIM 6.0	EC002848	ETIM 7.0	EC002848
ETIM 8.0	EC002848	ETIM 9.0	EC002848
ECLASS 9.0	27-14-11-92	ECLASS 9.1	27-14-11-92
ECLASS 10.0	27-14-11-92	ECLASS 11.0	27-14-11-92
ECLASS 12.0	27-14-11-92	ECLASS 13.0	27-14-11-92
ECLASS 14.0	27-14-11-92		

### Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">CAD data – STEP</a>
User Documentation	<a href="#">StorageConditionsTerminalBlocks</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	