

PRODUCT-DETAILS

L50-2LD1-ULT13W

6V50W PLASTIC COMBO C/W 4W-LED MR16



General Information

Extended Product Type	L50-2LD1-ULT13W
Product ID	7TBA134200R0058
EAN	0624050077494
Catalog Description	6V50W PLASTIC COMBO C/W 4W-LED MR16
Long Description	Exit Combination Unit, single face ceiling or wall mount, Battery Type: lead-calcium, 120/347VAC, Voltage DC: 12V, Battery Wattage: 50W, self-powered, Colour: factory white, Legend Colour: red, two lamps, Lamp Type: MR16 LED, Lamp Voltage: 6V, Lamp Wattage: 4W, Head Style: shielded, Battery Run Time: 30 minutes

Ordering

EAN	0624050077494
Customs Tariff Number	9405606000

Dimensions

Product Net Weight	10 lb 4.535 kg
--------------------	-------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	1 in 25 mm

Package Level 1 Height	0.1 in 3 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	4 piece
Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Institutional, Industrial, Hospitality
Battery Chemical Composition	Lead-Calcium
Brand / Label	Ready-Lite
Color	Factory White
Lamp Type	MR16 LED
Legend	On
Material	Frame/Faceplate: Thermoplastic
Mounting Type	Wall or ceiling
Number of Batteries	0
Number of Lamps	2
	50 W
Power Watt	4 W
Product Name	EXITSIGN LIGHT PLASTIC HOUSING
Product Type	Exit Combination Unit
Size	12-3/8 Inches Height x 17 Inches Width
Standards	CSA
Text Color	Red
UPC	624050077494
Voltage Rating	120/347 V AC 6 V DC

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L50-2LD1-ULT13W
Instructions and Manuals	L50-2LD1-ULT13W

Classifications

ETIM 6	EC001957 - Emergency luminaire
ETIM 7	EC001957 - Emergency luminaire
UNSPSC	39111707
IDEA Granular Category Code (IGCC)	3938 >> Combo light unit exit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

