


## H1,0/15D ZH R

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

### General ordering data

|            |   |
|------------|---|
| Version    | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, red |
| Order No.  | <a href="#">9037440000</a>                                |
| Type       | H1,0/15D ZH R   |
| GTIN (EAN) | 4008190493011   |
| Qty.       | 500 pièce(s)  |
| Packaging  | loose   |

## H1,0/15D ZH R

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Caractéristiques techniques

### Dimensions and weights

Net weight 0,13 g

### Technical data

| Description of article | Twin wire end ferrule, red | Version | Twin wire-end ferrule |
|------------------------|----------------------------|---------|-----------------------|
|------------------------|----------------------------|---------|-----------------------|

### Wire-end ferrules

|   |        |                             |                   |
|---|--------|-----------------------------|-------------------|
| Collar height (A)                       | 5,8 mm | Collar width (B)            | 3,2 mm            |
| Colour code                             | DIN    | Conductor cross-section     | 1 mm <sup>2</sup> |
| Contact surface diameter (D1)           | 2 mm   | Contact surface length (L2) | 8 mm              |
| L1 in mm                                | 15 mm  | Metal sleeve thickness (S1) | 0,15 mm           |
| Plastic collar thickness (S2)           | 0,3 mm | Stripping length            | 11 mm             |
| Wire connection cross section AWG, max. | AWG 17 |                             |                   |

### Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000005    | ETIM 7.0    | EC000005    |
| ETIM 8.0    | EC000005    | ETIM 9.0    | EC000005    |
| ECLASS 9.0  | 27-40-02-01 | ECLASS 9.1  | 27-40-02-01 |
| ECLASS 10.0 | 27-40-02-01 | ECLASS 11.0 | 27-40-02-01 |
| ECLASS 12.0 | 27-40-02-01 | ECLASS 13.0 | 27-40-02-01 |
| ECLASS 14.0 | 27-40-02-01 |             |             |

### Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

### Approvals

Approvals



|                         |            |
|-------------------------|------------|
| ROHS                    | Conform    |
| UL File Number Search   | UL Website |
| Certificate no. (cULus) | E499744    |

### Downloads

|                    |  |
|--------------------|--|
| Engineering Data   | <a href="#">CAD data – STEP</a>  |
| User Documentation | <a href="#">Technical information - EN</a><br><a href="#">Technical information - DE</a> |
| Catalogues         | <a href="#">Catalogues in PDF-format</a>   |
| Brochures          |  |

**Fiche de données**

**H1,0/15D ZH R**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Dessins**

**Drawing**

