

# Specifications

## Eaton FMVA25LCY/UNV34 76

Eaton Crouse-Hinds series Champ FMVA LED floodlight, 0.63A, Cool white, Dimmable driver, 3/4" entries, 750-1000W equiv, Heat and impact resistant glass lens, 25,000 lm, 117 lm/W, Die cast alum, 7x6 optics, Gray paint, 347-480 Vac, 217W



Photo is representative



### General specifications

<b>PRODUCT NAME</b>	Eaton Crouse-Hinds series Champ FMVA LED floodlight
<b>CATALOG NUMBER</b>	FMVA25LCY/UNV34 76
<b>PRODUCT LENGTH/DEPTH</b>	15.5 in
<b>PRODUCT HEIGHT</b>	12 in
<b>PRODUCT WIDTH</b>	7 in
<b>PRODUCT WEIGHT</b>	38 lb



Powering Business Worldwide

## Certifications and compliances

<b>AREA CLASSIFICATION</b>	Hazardous/Classified Locations
<b>STANDARDS TYPE</b>	NEC/CEC
<b>NEC HAZARDOUS RATING</b>	Class I, Division 2 Class I, Zone 2 Class II, Division 1
<b>NEMA RATING</b>	4X
<b>INGRESS PROTECTION (IP) RATINGS</b>	IP66

## Product specifications

<b>LAMP TYPE</b>	LED
<b>LUMENS</b>	25000
<b>LUMENS PER WATT</b>	117
<b>COLOR TEMPERATURE</b>	Cool white
<b>MOUNTING METHOD</b>	Yoke
<b>VOLTAGE RATING</b>	347-480 Vac
<b>FREQUENCY RATING</b>	50/60 Hz
<b>OPTICAL DISTRIBUTION</b>	7x6
<b>ENTRY SIZE</b>	3/4"
<b>LENS MATERIAL</b>	Heat and impact resistant glass
<b>FINISH COLOR</b>	Gray
<b>WATTAGE</b>	217W
<b>DIMMING</b>	Dimmable driver
<b>EQUIVALENT LUMINAIRE</b>	750-1000W
<b>POWER FACTOR</b>	> 0.90
<b>AMPERAGE RATING</b>	0.19A
<b>MATERIAL</b>	Die cast aluminum

## Resources

<b>3D MODELS</b>	<a href="#">SP3D Design Package - Champ FMVA LED Hazardous Area Floodlights</a>
<b>BROCHURES</b>	<a href="#">Crouse-Hinds series DLC approved lighting products</a> <a href="#">Crouse-Hinds series Champ FMVA LED Floodlights - 20,000 to 50,000 lumens brochure</a>
<b>CATALOGUES</b>	<a href="#">Crouse-Hinds series Champ FMVA LED Floodlights - 20,000 to 50,000 lumens catalog page</a>
<b>CERTIFICATION REPORTS</b>	<a href="#">Champ FMVA LED Hazardous Area Floodlights UL certification</a> <a href="#">Champ FMVA LED Hazardous Area Floodlights ATEX Certificate</a> <a href="#">Champ FMVA LED Hazardous Area Floodlights Canadian certification</a> <a href="#">Champ FMVA LED Hazardous Area Floodlights IECEx Certificate of Conformity</a> <a href="#">Champ FMVA LED Hazardous Area Floodlights EC-Declaration of Conformity</a>

	<a href="#">Champ FMVA LED Hazardous Area Floodlights ABS certification</a>
	<a href="#">IF 1889 - Champ FMVA/PFMA LED Floodlight Driver Replacement</a>
<b>INSTALLATION INSTRUCTIONS</b>	<a href="#">IF 1883 - Champ FMVA LED Floodlight</a>
	<a href="#">IF 1828 - Champ FMVA LED 20L-25L Floodlights Gen II</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - FMVA25LCY/UNV34 76</a>

---

**PROJECT NAME:**

---

**PROJECT NUMBER:**

---

**PREPARED BY:**

---

**DATE:**

---



**Eaton Corporation plc**  
 Eaton House  
 30 Pembroke Road  
 Dublin 4, Ireland  
 Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

