

Specifications



Photo is representative



Eaton AR642 S4

Eaton Crouse-Hinds series Arktite AR receptacle, 60A, Three-wire, four-pole, 50-400 Hz, Style 2, Copper-free aluminum, Spring door, Interior rotated 22-1/2 degrees, 600 Vac/250 Vdc

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Arktite AR receptacle
CATALOG NUMBER	AR642 S4
PRODUCT LENGTH/DEPTH	4.25 in
PRODUCT HEIGHT	4.25 in
PRODUCT WIDTH	4.25 in
PRODUCT WEIGHT	2.84 lb



Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Ordinary/Non-Hazardous Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	4

Product specifications

AMPERAGE RATING	60A
VOLTAGE RATING	600 Vac/250 Vdc
FREQUENCY RATING	50 to 400 Hz
GROUNDING TYPE	Style 2
CONFIGURATION	Three-wire, four-pole
RECEPTACLE STYLE	Spring door
MATERIAL	Copper-free aluminum
SPECIAL FEATURES	Interior rotated 22-1/2 degrees

Resources

CATALOGUES

[Arktite Metallic Plugs, Receptacles and Connectors catalog page](#)

[Arktite 60A Metallic Plugs, Receptacles and Connectors catalog page](#)

CERTIFICATION REPORTS

[Arktite Metallic Plugs, Receptacles and Connectors UL certification \(AR\)](#)

INSTALLATION INSTRUCTIONS

[IF 352 - Model M72 Arktite Plugs and Receptacles](#)

[IF 1229 - Arktite Plugs and Receptacles, Model M4, 30, 60, 100A](#)

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - AR642 S4](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

