

Technical Information Bulletin

Design LED Filament Lamps




Date: _____ Name of distributor: _____
 In hands date of project: _____ Client #: _____
 Project name/Number: _____ Name of end user: _____

ORDERING INFORMATION

Order code: 67162
Description: ST19/S2/7W/27K/V/FIL/STD
UPC: 69549671621
Case quantity: 10 / 40

PHYSICAL DATA

Shape: ST19
Base: E26
Finish: Clear
Filament type: Vertical



PERFORMANCE DATA

Watts (W): 7
Volts (VAC): 120
Colour temp. (K)¹: 2 700
Lumen output (lm): 800
Lumen per Watts (lm/W): 114
Traditional equivalent (W): 60
CRI: 80
Life L70 (h): 15 000
Beam angle (°): 360
Power factor: 0.9
Frequency (Hz): 60
Dimming: Forward and reverse
Burning position: Universal
Operating temp. range: -30 °C to 40 °C (-22 °F to 104 °F)

¹ Typical colour temperature range: +/- 5 %

COMPATIBLE DIMMERS

Legrand	RH703PTUTC
Cooper	RRD-6NA
Leviton	6615, 6674, DDMX1, DSM10-1LZ, IPE04-1LZ, IPL06
Lutron	AYCL-253P, CTCL-153P, DVCL-253P, MACL-153P, PD-5NE, SELV-300P



Qty	Description	Price

I accept the specifications of the luminaire configuration mentioned above.

Name: _____
 Company: _____
 Signature: _____

Date: _____

This lighting equipment complies with Canadian standard ICES-005 for use in residential applications.
 Data is based upon tests performed in a controlled environment and representative of relative performance.
 Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.