

# Eaton 3762EX

Catalog Number: 3762EX

Eaton locking connector, #10-6 AWG, 50A, Industrial, 600 Vac, 250Vdc, Back wiring, Black, red, Pro grip, Non-NEMA, Two-pole, Three-wire, grounding, Nylon, 0.44 to 1.06 in

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Arrow Hart pro grip California standard locking connector	3762EX
	UPC
	032664663758
<b>Product Length/Depth</b>	<b>Product Height</b>
6.94 in	3.38 in
<b>Product Width</b>	<b>Product Weight</b>
3.61 in	1.05 lb
<b>Certifications</b>	
cULus Listed	
CSA certified	

## defaultTaxonomyAttributeLabel

### Special features

Locking connector

### Type

Locking connector

### Amperage Rating

50 A

### Voltage rating

600 Vac, 250 Vdc

### Contact material

Zinc plated brass

### Application

Industrial

### Device grade

Extra heavy duty

### Wiring method

Back

### Number of wires

3

Grounding

### Number Of Poles

Two-pole

### Color

Black

Red

### Cord diameter

0.44-1.06 in (11.1-26.0 mm)

### Material

Glass filled nylon

### Operating temperature

-40 to 105 °C (-40 to 221 °F)

### Allowable wire size

#10-6 AWG

### NEMA configuration

Non-NEMA

### Torque rating

45 lbf-inch

## Resources

### Catalogs

[Arrow Hart Buyers Guide Section C](#)

### Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

### Specifications and datasheets

[Eaton Specification Sheet - 3762EX](#)

Design type

Pro grip

Face/body material

Glass filled nylon



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)