

Eaton ADE4N0753NPN

Catalog Number: ADE4N0753NPN

Eaton Crouse-Hinds series Capri ADE-4F cable gland, 3 (L), Straight, Gland size 8, Armoured, Nickel plated brass, 18-27.5 outer sheath, Flameproof and increased safety, Silicone seal, 3/4" NPT



General specifications

Product Name	Catalog Number
Eaton's Crouse-Hinds series Capri ADE-4F cable gland	ADE4N0753NPN
	EAN
	3589350035360
Product Length/Depth	Product Height
87 mm	45 mm
Product Width	Product Weight
41 mm	313.6 g

Product specifications

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

IECEX/ATEX

IEC

NEC hazardous rating

Class I, Zone 2

Ingress protection (IP) ratings

IP66

IP68

IECEX/ATEX hazardous rating

Zone 1

Zone 2

Zone 21

Zone 22

Material

Nickel plated brass

Cable sealing range

3 (L)

Connector type

Straight

Gland size

8

Gland type

Armoured

Outer sheath (min/max)

18-27.5

Protection type

Flameproof and increased safety

Sealing type

Silicone

Thread Size

3/4"

Nominal thread size inch/gas pipe thread

3/4 inch

Resources

Technical data sheets

[ADE-4F Datasheet](#)

Thread Length

16 mm

Wrench width

41 mm

Hexagon angular dimension

45.1 mm

Suitable for cable diameter - max

27.5 mm

Suitable for cable diameter - min

18 mm

Material quality

Brass

Surface protection

Nickel-plated

Degree of protection (IP)

IP68

Model

Straight

Type of sealing

Sealing ring

Working temperature - max

140 °C

Working temperature - min

-60 °C

For ex-zone gas

1, 2

For ex-zone dust

21, 22

Lamp type included

Halogen Free

Thread type

NPT

Protection, proofing and resistance

Shock Resistant

Version

Explosion - Tested



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)