

# Eaton 63CR65EX

Catalog Number: 63CR65EX

Eaton corrosion resistant locking plug, #12-6 AWG, 50A, Marine, 125/250V, Back wiring, Yellow, black, Non-NEMA, Three-pole, Four-wire, Steel, 0.44 to 1.06 in



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Arrow Hart corrosion resistant locking plug	63CR65EX
	UPC
	032664663826
<b>Product Length/Depth</b>	<b>Product Height</b>
6.94 in	3.38 in
<b>Product Width</b>	<b>Product Weight</b>
3.61 in	1.05 lb
<b>Certifications</b>	
cULus Listed	
CSA certified	

## defaultTaxonomyAttributeLabel

### Special features

Corrosion resistant

### Type

Locking plug

### Amperage Rating

50 A

### Voltage rating

125/250 V

### Contact material

Nickel plated brass

### Application

Marine

### Device grade

Marine

### Wiring method

Back

### Number of wires

4

Grounding

### Number Of Poles

Three-pole

### Environmental resistance

Impact and chemical resistant

### Color

Black

Yellow

### Cord diameter

0.44-1.06 in (11.1-26.0 mm)

### Material

Steel

### Operating temperature

-40 to 105 °C (-40 to 221 °F)

### Allowable wire size

#12-6 AWG

### NEMA configuration

Non-NEMA

## Resources

### Catalogs

[Arrow Hart Buyers Guide Section C](#)

### Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

### Specifications and datasheets

[Eaton Specification Sheet - 63CR65EX](#)

Torque rating

45 lbf-inch

Design type

Pro grip

Face/body material

Glass filled nylon



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)