

Eaton AHCL1430R

Catalog Number: AHCL1430R

Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 AWG, 30A, Industrial, 125/250V, Orange, Black, Ultra grip, Glass filled Nylon, L14-30, Three-pole, Four-wire, Glass-filled Nylon, -40°C (w/o impact) to 70°C (-40°F to 158°F)



General specifications

| | |
|---|--|
| Product Name | Catalog Number |
| Eaton Arrow Hart Color Coded Locking Receptacle | AHCL1430R |
| | UPC |
| | 032664758546 |
| Product Length/Depth | Product Height |
| 1.62 in | 3.64 in |
| Product Width | Product Weight |
| 1.06 in | 0.33 lb |
| Compliances | Certifications |
| RoHS Compliant | CSA Certified |
| NAFTA | UL Listed |
| | NOM |
| | Federal Specification Classification 6233 01 |

defaultTaxonomyAttributeLabel

Special features

Voltage Color Coding

Type

Locking Receptacle

Amperage Rating

30A

Voltage rating

125/250 V

Application

Industrial

Wiring method

Back and side

Number of wires

4

Number Of Poles

Three-pole

Color

Orange

Black

Material

Glass filled nylon

Operating temperature

-40 to 70 °C (-40 to 158 °F)

Allowable wire size

#14-8 AWG

NEMA configuration

L14-30

Torque rating

20 lbf-inch

Design type

Ultra grip

Face/body material

Glass filled nylon

Resources

Multimedia

[Arrow Hart industrial color coded locking devices](#)

[Eaton Arrow Hart color coded locking devices](#)

Specifications and datasheets

[Eaton Specification Sheet - AHCL1430R](#)

[Arrow Hart color coded industrial grade L14-30 locking devices spec sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)