

Recessed Floor Boxes for Concrete & Wood Floors


Resource RFB® Series of Floor Boxes are versatile recessed activation solutions that provide power, communication and/or audio/video services to open space areas, or directly to workstations. Resource RFB Series Floor Boxes are available in two- to six-gang models with a variety of aesthetic cover options including colors and profiles available.

Resource RFB Series Floor Boxes have many applications, including schools, financial institutions, commercial office buildings, hospitality and residences.



Protection from water, dirt, and debris.









RFB4 Series Floor Box with the new FloorPort Activation Cover.




FEATURES & BENEFITS

- **RFB6 & RFB6E have independent wiring compartments that allow capacity for up to six duplex receptacles and/or communication services.** Reduces overall cost by providing for most cabling requirements.
- **The RFB4 has three versions for various applications.** A cast iron version to meet on grade requirements, a steel version to reduce installation cost on above grade floors, and a shallow steel version that provides flexibility with varying concrete depths.
- **Fully adjustable before and after the concrete pour.** Labor savings by adapting to various pour depths and conditions.
- **Range of conduit sizes.** Allows for most conduit schemes, even feed through capability, which saves time and money during installation. KOs range from 1/2" to 2" trade size.
- **Triple service boxes.** Accommodate power, communication and/or audio/video devices which reduces the need for multiple boxes.
- **Accepts round Evolution™ Series Covers.** RFB4E Series Floor Box accept the round 6" Evolution™ Series Covers while RFB6E Series Floor Box accepts the round 8" Evolution™ Series Covers increasing the ability to match aesthetics throughout the building.
- **RFB2 & RFB4 shallow versions allow pass-around tunneling.** Flexibility in design to have adjacent compartments wired together.
- **Redesigned FloorPort Activation Covers.** Provides TopGuard protection from water, dirt and debris plus added strength and durability. Now available in brushed aluminum and five decorative powder coat finishes: Black, Brass, Nickel, Gray and Bronze.
- **Wide variety of mounting brackets.** Can adapt to most power and communication needs. Reduces overall life cycle cost.
- **RFB4E and RFB6E Series Floor Boxes available for bare concrete and terrazzo floors.** By using RFB4E-CTR or RFB6E-CTR Rings (sold separately) these boxes can be installed into bare concrete or terrazzo floors with a clean, aesthetic finish.
- **Datacom connectivity options.** Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point-of-use. A wide selection of data and adapter options are available for use with Ortronics® TracJack™ and Series II devices.
- **2" Conduit Hub.** By using 2HUB with the RFB4E Series Floor Box (sold separately) a greater capacity of pre-terminated cables can be brought in the a shallower box. Increasing the functionality and reducing concrete pours.
- **Installs in both concrete and wood floors.** Provides the first recessed wood floor box for both commercial and residential applications. Available for RFB2, RFB6 and RFB6E Series Floor Boxes.
- **Lightweight "slab-on-grade" version.** Special fusion-bonded epoxy corrosion resistant paint finish allows for slab-on-grade use without the weight of cast iron material. Available in RFB2, RFB4E, RFB6 and RFB6E Series Floor Boxes.
- **Accepts Floorport™ Activation Covers.** Allows a consistent aesthetic finish for the RFB2, RFB4 & RFB6 Series Recessed Floor Boxes.
- **Buy America Act/NAFTA versions.** FloorPort Service Fittings are now available in versions that meet the Buy America Act/NAFTA requirements.
- **UL Listed to U.S. and Canadian safety standards for tile, terrazzo, carpet and wood floors.**


RFB4-CI-1 Series Multiservice Cast Iron Floor Box Accessories

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
CIHT-D 	Internal Duplex Receptacle Bracket – Accepts standard 15 Amp & 20 Amp Duplex Receptacles. Country of Origin: USA	CILT-4TKO 	Communication Bracket – Communication bracket with four (4) RJ opening knockouts. Use as blank plate or for up to four RJ openings. NOTE: Opening dimension is 9/16" x 3/4" [14.3mm x 19.1mm]. Country of Origin: USA
CIH/LT-B 	Internal Blank Bracket – Used to close off unused gangs. Country of Origin: USA	RFBCIKIT 	Barrier Kit – Barrier kit used with RFB4-CI Floor Boxes. Kits are sold separately. Country of Origin: USA
CIHT-GFI 	Internal GFI Device Bracket – Accepts standard GFCI or Decorator Style Receptacles, Communication or Audio/Video Devices. Country of Origin: USA	FP-CTR 	Bare Concrete & Terrazzo Ring – Nonmetallic ring for use on bare polished concrete and terrazzo floor applications. Country of Origin: USA
CILT-2AB 	Communication Bracket – Communication bracket with two 2A size Activate adapters included. Accepts Wiremold CM2 Series Open System communication modules (sold separately). Country of Origin: Mexico	Additional configurations available. Please consult your local Sales Representative for more information.	
CILT-2-RT 	Communication Bracket – Communication bracket with Ortronics® AB2TJ TracJack and ABS2 Series II adapters included. Accepts Ortronics® workstation connectivity outlets and modular inserts. Country of Origin: Mexico		











RFB4-SS Series Multiservice Shallow Steel Recessed Floor Box Ordering Information

Catalog No./Item	Description/Specifications
RFB4-SS 	Four-Compartment Shallow Stamped Steel Box – 13 5/8" L x 10" W x 2 7/16" D [346mm x 254mm x 62mm]. Fully adjustable with tunnel compartment and two receptacle brackets. Feed through tunneling to adjacent compartments only. Tunneling can be set to feed all four compartments from one conduit in a single-service application. Communication brackets not included. See "Accessories". NOTE: Only for use in concrete floors. All boxes and activations are sold separately. Country of Origin: Assembled in Mexico from components made in the USA

RFB4-SS Series Compartment Capacities/Knockout Locations & Sizes



RFB4-SS Series Multiservice Shallow Steel Floor Box Accessories

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
RFB-B-SS 	Internal Blank Bracket – Used to close off unused gangs. Country of Origin: Mexico	RFB4-SS-AAP 	Internal Audio/Video Bracket – Accepts two (2) Extron® Electronics AAP Series Devices. (Sold separately) NOTE: For RFB4-SS Series Floor Boxes only. Country of Origin: Mexico
RFB-RB-SS 	Internal Duplex Receptacle Bracket – Accepts standard 15 Amp & 20 Amp Duplex Receptacles. Country of Origin: Mexico	RFB4-SS-MAAP 	Internal Audio/Video Bracket – Accepts two Extron® Electronics MAAP Series Devices. (Sold separately) NOTE: For RFB4-SS Series Floor Boxes only. Country of Origin: Mexico
RFB-GFI-SS 	Internal GFI Receptacle Bracket – Accepts standard GFCI & Decorator style Receptacles Communication or Audio/Video Devices. Country of Origin: Mexico	RFBKIT 	Barrier Kit – Barrier kit used to separate power and communication wires in partition feed covers. Supplied with base and three extensions to adjust to cover height. Kit should be used on RFB2, RFB2-OG, RFB2-SS, RFB4 and RFB4-SS Floor Boxes. Kits are sold separately. Country of Origin: USA
RFB-2AB-SS 	Internal Bracket – Two Pass & Seymour® Activate adapters included. Wiremold CM Series Open System inserts sold separately. Country of Origin: Mexico	FP-CTR 	Bare Concrete & Terrazzo Ring – Nonmetallic ring for use on bare polished concrete and terrazzo floor applications. Country of Origin: USA
RFB-2-SSRT 	Communication Bracket – Ortronics® AB2TJ TracJack and ABS2 Series II adapters included. Country of Origin: Mexico		
RFB-4TKO-SS 	Internal Bracket – Four RJ Keystone opening knockouts. Use as blank plate or for up to four RJ openings. NOTE: Opening dimension is 9/16" x 3/4" [14.3mm x 19.1mm]. Country of Origin: Mexico		

Additional configurations available. Please consult your local Sales Representative for more information.