


Product data sheet

Specifications



protection module, Harmony
Electromechanical Relays, with RC
circuit, for all RUM sockets, 6...250V
DC

RUW241P7

Main

Range of product	Harmony Electromechanical Relays
Accessory / separate part category	Protection accessories
Product or component type	Protection module
Accessory / separate part designation	RC circuit
Product compatibility	Socket RPZ 3 C/O) Socket RPZ 4 C/O) Socket RUZ 2 C/O) Socket RUZ 3 C/O)
Product destination	RPM relay RUM relay
[Uc] control circuit voltage	110...240 V AC
Sale per indivisible quantity	10

Complementary

Product weight	0.009 lb(US) (0.004 kg)
----------------	-------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.394 in (1.000 cm)
Package 1 Width	1.358 in (3.450 cm)
Package 1 Length	1.417 in (3.600 cm)
Package 1 Weight	0.141 oz (4.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.575 in (4.000 cm)
Package 2 Width	3.150 in (8.000 cm)
Package 2 Length	3.937 in (10.000 cm)
Package 2 Weight	1.728 oz (49.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	300
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	5.906 in (15.000 cm)
Package 3 Length	15.748 in (40.000 cm)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	4.156 lb(US) (1.885 kg)
------------------	-------------------------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.1 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Connections and Schema

Wiring Diagram

