

# Specifications

## Eaton EFDC218 T8

Eaton Crouse-Hinds series EFD manual motor starter switch, 20A/30A, With switch, 1 HP/2 HP/3 HP, Square D starter, Feraloy iron alloy, Single-gang, Two-pole, Through feed, 3/4", 250/600 Vac



Photo is representative



### General specifications

<b>PRODUCT NAME</b>	Eaton Crouse-Hinds series EFD manual motor starter switch
<b>CATALOG NUMBER</b>	EFDC218 T8
<b>PRODUCT LENGTH/DEPTH</b>	3.5 in
<b>PRODUCT HEIGHT</b>	6.72 in
<b>PRODUCT WIDTH</b>	4.88 in
<b>PRODUCT WEIGHT</b>	7.38 lb

## Certifications and compliances

<b>AREA CLASSIFICATION</b>	Hazardous/Classified Locations
<b>STANDARDS TYPE</b>	NEC/CEC
<b>NEC HAZARDOUS RATING</b>	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
<b>NEMA RATING</b>	3 7 9 12

## Product specifications

<b>ENCLOSURE</b>	With switch
<b>MANUFACTURER</b>	Square D
<b>NUMBER OF GANGS</b>	Single-gang
<b>NUMBER OF POLES</b>	Two-pole
<b>STYLE</b>	Through feed
<b>TRADE SIZE</b>	3/4"
<b>VOLTAGE RATING</b>	250 Vac/600 Vac
<b>HORSEPOWER</b>	1 hp/2 hp/3 hp
<b>AMPERAGE RATING</b>	20 A/30 A
<b>MATERIAL</b>	Feraloy iron alloy

## Resources

<b>3D MODELS</b>	<a href="#">SP3D Design Package - EDS and EFD Explosionproof Motor Starters</a>
<b>CATALOGUES</b>	<a href="#">EFD Series Explosionproof Motor Starters catalog page</a>
<b>CERTIFICATION REPORTS</b>	<a href="#">EDS and EFD Explosionproof Motor Starters Canadian certification</a> <a href="#">EDS and EFD Explosionproof Motor Starters UL certification</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - EFDC218 T8</a>

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

