


Lineman's Pliers

New England Style

DIN ISO 5746


ASME B107.20



09 01 240 


black anodized pliers, polished head, handles with non-slip plastic coating



09 02 240 




black anodized pliers, polished head, handles with multi-component covers



09 08 240 US 

polished head, VDE-tested handles insulated with multi-component covers

IEC 60900


 1000 V  



09 11 240 

black anodized pliers, polished head, handles with non-slip plastic coating, with cable puller and universal crimping point



09 12 240 

black anodized pliers, polished head, handles with multi-component covers, with cable puller and universal crimping point



- Description
- Applications

- improved version
- Now requires 50% less effort compared with conventional combination pliers due to an optimised transmission ratio
- solid construction for heaviest strain; universally applicable
- ergonomically optimised handle shape for firm contact to the hand and fatigue reducing operation
- particularly effective cross-hatched knurled gripping zone in the jaws - for strong gripping and pulling
- additional gripping zone below the joint for powerful leverage and pressing performance
- with cutting edges for soft and hard wire
- cutting edges additionally induction hardened, cutting edge hardness approx. 64 HRC
- Vanadium electric steel; forged, oil-hardened



Gripping zone below the joint for powerful leverage



Cross-hatched, knurled gripping zone for firm gripping and pulling, e. g. for fence construction




Long cutting edges for cutting flat cables



09 11/12 240: universal mandrel crimping area below the joint









09 11/12 240: fish tape puller in the joint gap



09 11/12 240: fish tape puller in the joint gap



09 11/12 240: universal mandrel crimping area below the joint

Article No.	EAN 4003773-	 Ø mm	 Ø mm	 mm	 g
09 01 240	064992	4,60	3,00	240	435
09 02 240	065005	4,60	3,00	240	470
09 02 240 T 	079941	4,60	3,00	240	463
09 11 240	071952	4,60	3,00	240	435
09 12 240	071969	4,60	3,00	240	470
09 12 240 T 	079958	4,60	3,00	240	455

 New

We kindly ask you to get in touch with your local Knipex distributor for detailed information on the availability of the new items. technical change and errors excepted