

PRINTJET CONNECT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



The PrintJet CONNECT is the consistent further development of our tried-and-tested PrintJet series. Focusing on the modern needs of industry and panel building, it combines maximum process and cost efficiency with intelligent networking and complete data consistency. For example, you can use existing data directly in the marking process – for working more efficiently and with a minimal error rate.

General ordering data

Version	Marking systems, Ink jet technology, 1200 DPI, Multicard, MetalliCard
Order No.	2715590000
Type	PRINTJET CONNECT
GTIN (EAN)	4064675016922
Qty.	1 pièce(s)

PRINTJET CONNECT

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Caractéristiques techniques

Dimensions and weights

Depth	930 mm	Depth (inches)	36,614 inch
Height	454 mm	Height (inches)	17,874 inch
Width	590 mm	Width (inches)	23,228 inch
Net weight	43 693 g		

Labelling systems

Fueling system		Included in delivery	PrintJet CONNECT, Power cable, USB cable, W-LAN stick, 1 unit DEK 5/5, 2 x PrintJet Cleaner tissues, DVD with M-Print® PRO, Quick start guide, user manual D/EN, all other 23 languages on DVD as a PDF, Dust cover
Interface	Ink cartridge, CMYK USB, LAN, Wi-Fi	Marker type	Multicard, MetalliCard
Operating system	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11	Print resolution, max.	1 200 DPI
Printer driver	Windows 7, Windows 8, Windows 8.1, Windows 10	Printing method	Ink jet technology
Printing speed	Depends on printing quality	Software	M-Print® PRO
Voltage supply	230 V AC / 16 A, 115 V AC / 20 A		

Classifications

ETIM 6.0	EC0006 10	ETIM 7.0	EC0006 10
ETIM 8.0	EC0006 10	ETIM 9.0	EC0006 10
ECLASS 9.0	24-32-11-90	ECLASS 9.1	24-32-11-02
ECLASS 10.0	24-32-11-90	ECLASS 11.0	24-32-11-90
ECLASS 12.0	24-32-11-90	ECLASS 13.0	24-32-11-90
ECLASS 14.0	24-32-11-90		

Environmental Product Compliance

RoHS Compliance Status	Compliant with exemption
RoHS Exemption (if applicable/known)	6a, 6c, 7a, 7cl, 34
REACH SVHC	Lead 7439-92-1 Hexahydromethylphthalic anhydride 19438-60-9 Cyclohexane-1,2-dicarboxylic anhydride 85-42-7 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol 119-47-1 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol 79-94-7
SCIP	1019ebc1-7078-40d9-974d-3aa332713b10

Approvals

Approvals



ROHS Conform

Date de création 26 novembre 2024 13:56:21 CET

Niveau du catalogue 26.11.2024 / Toutes modifications techniques réservées

PRINTJET CONNECT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Caractéristiques techniques**Downloads**

Approval/Certificate/Document of Conformity	MET Certification Record PrintJet CONNECT Declaration of Conformity UKCA Declaration of Conformity acma RCM Declaration of Conformity Korea Certification PrintJet CONNECT
Software	Firmware – PrintJet CONNECT Firmware 1.2.5 via PC Firmware – PrintJet CONNECT Firmware 1.2.5 via USB-Stick
User Documentation	Manual PrintJet CONNECT - BG Manual PrintJet CONNECT - CN Manual PrintJet CONNECT - CZ Manual PrintJet CONNECT - DE Manual PrintJet CONNECT - DK Manual PrintJet CONNECT - EL Manual PrintJet CONNECT - EN Manual PrintJet CONNECT - ES Manual PrintJet CONNECT - ET Manual PrintJet CONNECT - FI Manual PrintJet CONNECT - FR Manual PrintJet CONNECT - HU Manual PrintJet CONNECT - IT Manual PrintJet CONNECT - LT Manual PrintJet CONNECT - LV Manual PrintJet CONNECT - NL Manual PrintJet CONNECT - PL Manual PrintJet CONNECT - RO Manual PrintJet CONNECT - RU Manual PrintJet CONNECT - SK Manual PrintJet CONNECT - SL Manual PrintJet CONNECT - SV Manual PrintJet CONNECT - PT Manual PrintJet CONNECT - KO Manual PrintJet CONNECT - PT BR Instruction FW Update PrintJet CONNECT
Catalogues	Catalogues in PDF-format