

## H0,75/16D ZH GR

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



For the following conductors: 2 No. 0.75 mm<sup>2</sup> (2 No. AWG 18)

- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code
- other colour code

### General ordering data

Version	Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, grey
Order No.	<a href="#">9037420000</a>
Type	H0,75/16D ZH GR
GTIN (EAN)	4008190492991
Qty.	500 pièce(s)
Packaging	loose

**H0,75/16D ZH GR****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Caractéristiques techniques****Dimensions and weights**

Net weight 0,14 g

**Technical data**

Description of article Twin wire end ferrule, grey Version Twin wire-end ferrule

**Wire-end ferrules**

Collar height (A)	5,5 mm	Collar width (B)	3 mm
Colour code	DIN	Conductor cross-section	0,75 mm <sup>2</sup>
Contact surface diameter (D1)	1,7 mm	Contact surface length (L2)	10 mm
L1 in mm	16 mm	Metal sleeve thickness (S1)	0,15 mm
Plastic collar thickness (S2)	0,3 mm	Stripping length	13 mm
Wire connection cross section AWG, max.	AWG 18		

**Classifications**

ETIM 6.0	EC000005	ETIM 7.0	EC000005
ETIM 8.0	EC000005	ETIM 9.0	EC000005
ECLASS 9.0	27-40-02-01	ECLASS 9.1	27-40-02-01
ECLASS 10.0	27-40-02-01	ECLASS 11.0	27-40-02-01
ECLASS 12.0	27-40-02-01	ECLASS 13.0	27-40-02-01
ECLASS 14.0	27-40-02-01		

**Environmental Product Compliance**RoHS Compliance Status Compliant without exemption  
REACH SVHC No SVHC above 0.1 wt%**Approvals**

Approvals

ROHS Conform  
UL File Number Search UL Website  
Certificate no. (cULus) E499744**Downloads**Engineering Data [CAD data – STEP](#)  
User Documentation [Technical information - EN](#)  
[Technical information - DE](#)  
Catalogues [Catalogues in PDF-format](#)  
Brochures

**Fiche de données**

**H0,75/16D ZH GR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Dessins**

**Drawing**

