

# Product data sheet

Specifications



Socket-outlet, X Series, 20A,  
standard, single, tamper resistant,  
residential, white, matte finish

SQR42200WH

Product availability: Stock - Normally stocked in distribution facility

## Main

|                               |                             |
|-------------------------------|-----------------------------|
| Device presentation           | Mechanism with fixing frame |
| Body type                     | Standard                    |
| Socket number                 | 1                           |
| Outlet poles configuration    | 2P + E                      |
| Outlet standard               | NEMA                        |
| Socket additional information | Tamper resistant            |

## Complementary

|                                   |                                           |
|-----------------------------------|-------------------------------------------|
| Device mounting                   | Flush                                     |
| Mounting Mode                     | By screws                                 |
| [Ie] rated operational current AC | 20 A                                      |
| [Ue] rated operational voltage    | 125 V                                     |
| Network type                      | AC                                        |
| Network Frequency                 | 60 Hz                                     |
| Number of gangs                   | 1 gang                                    |
| Number of modules                 | 1                                         |
| Color                             | White                                     |
| Surface Finish                    | Matte                                     |
| Material                          | Plastic: strap                            |
| Connections - terminals           | Phase and neutral 2 screw terminal copper |
| Width                             | 1.4 in (35 mm)                            |
| Height                            | 4.09 in (104 mm)                          |
| Depth                             | 1.1 in (29 mm)                            |
| Quantity per Set                  | 1 piece                                   |
| Main colour tint                  | White                                     |

## Environment

|                        |        |
|------------------------|--------|
| Product Certifications | cULus  |
| Standards              | UL 498 |

## Ordering and shipping details

|          |              |
|----------|--------------|
| Category | US10DE909932 |
|----------|--------------|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                   |               |
|-------------------|---------------|
| Discount Schedule | 0DE9          |
| GTIN              | 3606487143338 |
| Returnability     | Yes           |
| Country of origin | CN            |

## Packing Units

|                        |                  |
|------------------------|------------------|
| Unit Type of Package 1 | PCE              |
| Nbr. of units in pkg.  | 1                |
| Package 1 Height       | 4.2 in (10.6 cm) |
| Package 1 Width        | 1.2 in (3.1 cm)  |
| Package 1 Length       | 1.7 in (4.2 cm)  |
| Package weight(Lbs)    | 2.6 oz (75 g)    |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |                                          |
|--------------------------|------------------------------------------|
| Circularity Profile      | No need of specific recycling operations |
| Take-back                | No                                       |