

# Product data sheet

Specifications



Legend holder 40x50mm for flush mounted heads, Harmony XB5, plastic, without legend

ZBZF32

## Main

|                                    |                   |
|------------------------------------|-------------------|
| Product or component type          | Legend holder     |
| Accessory / separate part category | Marking accessory |

## Complementary

|                                       |                                                               |
|---------------------------------------|---------------------------------------------------------------|
| Material                              | Plastic                                                       |
| Device composition                    | Legend holder                                                 |
| Accessory / separate part destination | Ø 22 mm control or signalling unit<br>For built-in-flush head |
| Range compatibility                   | Harmony XB4<br>Harmony XB5                                    |
| Legend holder size                    | 40 x 50 mm                                                    |
| Sale per indivisible quantity         | 10                                                            |
| Product weight                        | 0.004 lb(US) (0.002 kg)                                       |

## Packing Units

|                              |                         |
|------------------------------|-------------------------|
| Unit Type of Package 1       | PCE                     |
| Number of Units in Package 1 | 1                       |
| Package 1 Height             | 6.693 in (17.000 cm)    |
| Package 1 Width              | 0.787 in (2.000 cm)     |
| Package 1 Length             | 0.524 in (1.330 cm)     |
| Package 1 Weight             | 0.071 oz (2.000 g)      |
| Unit Type of Package 2       | BB1                     |
| Number of Units in Package 2 | 10                      |
| Package 2 Height             | 6.693 in (17.000 cm)    |
| Package 2 Width              | 0.787 in (2.000 cm)     |
| Package 2 Length             | 4.724 in (12.000 cm)    |
| Package 2 Weight             | 0.741 oz (21.000 g)     |
| Unit Type of Package 3       | S02                     |
| Number of Units in Package 3 | 800                     |
| Package 3 Height             | 5.906 in (15.000 cm)    |
| Package 3 Width              | 11.811 in (30.000 cm)   |
| Package 3 Length             | 15.748 in (40.000 cm)   |
| Package 3 Weight             | 5.501 lb(US) (2.495 kg) |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 0 kg CO2 eq.                                  |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0 kg CO2 eq.                                  |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                         |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again




### Repack and remanufacture

|                               |                                          |
|-------------------------------|------------------------------------------|
| Recyclability potential, in % | 0                                        |
| Circularity Profile           | No need of specific recycling operations |
| Take-back                     | No                                       |

Dimensions Drawings


Dimensions



Mounting and Clearance

Panel Cut-out for Pushbuttons, Switches and Pilot Lights (Finished Holes, Ready for Installation)


For use on flat surface of a type 4, type 4X, type 12, and type 13



(1) Ø30.75 mm recommended (Ø30.5 mm  $^{+0.5}_0$ ) / Ø1.21 in. recommended (Ø1.20 in.  $^{+0.019}_0$ )

Technical Illustration

Dimensions



Offer Marketing Illustration

Product benefits / Features

### Bouton poussoir en plastique

Harmony XB5



Montage et démontage rapides et faciles



Excellente connexion mécanique avec la tête de commande



Différents types de connexions : borniers à vis-étrier, Push-in, connecteur Faston & broches pour circuit imprimé



Robustesse pour résister aux environnements difficiles



Large choix d'accessoires pour personnaliser vos panneaux



Offer Marketing Illustration

Product benefits / Features

Caractéristiques techniques

Harmony XB5



Image of product / Alternate images

Alternative

---





