

Specifications



Photo is representative

Eaton ENR5201 M4

Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle, 20A, 50-400 Hz, Copper-free aluminum, 5-20R, 125 Vac

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle
CATALOG NUMBER	ENR5201 M4
PRODUCT LENGTH/DEPTH	5 in
PRODUCT HEIGHT	5 in
PRODUCT WIDTH	3.5 in
PRODUCT WEIGHT	1.95 lb

EATON

Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION Hazardous/Classified Locations

Product specifications

AMPERAGE RATING 20A

STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
NEMA RATING	3 3R 7 9 12

VOLTAGE RATING	125 Vac
STYLE	Dead end
NEMA CONFIGURATION	5-20R
MATERIAL	Copper-free aluminum
FREQUENCY RATING	50-400 Hz

Resources

CATALOGUES [Ark-Gard ENR Premier Explosionproof NEMA Locking Devices catalog page](#)

CERTIFICATION REPORTS [Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices UL certification - ENR and ENP](#)

[Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices Canadian certification - ENR and ENP](#)

[IF 1588 - ENR M4 Series Receptacles](#)

INSTALLATION INSTRUCTIONS [IF 344 - Ark-Gard ENR Receptacles ENP Model M97 Plugs](#)

[IF 1424 - DSD, GFS, CPS and ENR Replacement Covers](#)

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - ENR5201 M4](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

