



Main

Product Type	Lug kit
Marketing Trade Name	QO
Rated Current	225 A
Number of Spaces	4
Number of Phases	2 phases
Voltage Rating	120/240 V AC

Complementary

Number of Poles	4
Wire Size	AWG 4...300 kcmil copper or aluminium
Product Certifications	cURus
Mounting Mode	Plug-in
Height	3.500 in (88.90 mm)
Width	2.988 in (75.90 mm)
Depth	2.310 in (58.67 mm)

Environment

Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
---------------------------------------	---------------------------------

Ordering and shipping details

Category	00080-QO SPECIALTY CB,1&2 POLE
Discount Schedule	DE2A
GTIN	785901755708
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.60 in (11.684 cm)
Package 1 Width	6.80 in (17.272 cm)
Package 1 Length	7.70 in (19.558 cm)
Package 1 Weight	2.36 lb(US) (1.071 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Circularity Profile	No need of specific recycling operations
Halogen content performance	Halogen free product

Contractual warranty

Warranty	18 months
----------	-----------

