



Main

| | |
|---------------------------|---------------------------|
| Range of Product | Advantys Telefast ABE7 |
| Product or Component Type | Plug-in solid state relay |
| Relay Type | Input relay |
| Minimum ordered quantity | Set of 4 |

Complementary

| | |
|-------------------------|---|
| Response time | <= 0.05 ms from state 0 to 1 <= 0.4 ms from state 1 to 0 |
| Width pitch dimension | 0.47 in (12 mm) |
| Product Compatibility | ABE7P16F310E ABE7P16F312 ABE7P16F310 |
| Discrete input voltage | 48 V DC, type 2 |
| Discrete output voltage | 5...24 V DC |
| Net Weight | 0.03 lb(US) (0.014 kg) |

Ordering and shipping details

| | |
|-------------------|---------------------------------|
| Category | 22375-INTERFACE MODULE(ABA,R,S) |
| Discount Schedule | CP2 |
| GTIN | 3389110720815 |
| Returnability | No |
| Country of origin | LV |

Packing Units

| | |
|------------------------------|-------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.97 in (5.0 cm) |
| Package 1 Width | 2.05 in (5.2 cm) |
| Package 1 Length | 2.56 in (6.5 cm) |
| Package 1 Weight | 0.39 oz (11.0 g) |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 4 |
| Package 2 Height | 1.97 in (5.0 cm) |
| Package 2 Width | 2.05 in (5.2 cm) |
| Package 2 Length | 2.56 in (6.5 cm) |
| Package 2 Weight | 1.59 oz (45.0 g) |
| Unit Type of Package 3 | S01 |
| Number of Units in Package 3 | 64 |
| Package 3 Height | 5.91 in (15.0 cm) |
| Package 3 Width | 5.91 in (15.0 cm) |

| | |
|------------------|--------------------|
| Package 3 Length | 15.75 in (40.0 cm) |
| Package 3 Weight | 33.44 oz (948.0 g) |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |
| PVC free | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Internal Wiring Diagram

