

# Specifications



Photo is representative



## Eaton AR642 S22

Eaton Crouse-Hinds series Arktite AR receptacle, 60A, Three-wire, four-pole, 50-400 Hz, Style 2, Copper-free aluminum, Spring door, Reversed contacts, 600 Vac/250 Vdc

### General specifications

<b>PRODUCT NAME</b>	Eaton Crouse-Hinds series Arktite AR receptacle
<b>CATALOG NUMBER</b>	AR642 S22
<b>PRODUCT LENGTH/DEPTH</b>	4.25 in
<b>PRODUCT HEIGHT</b>	4.25 in
<b>PRODUCT WIDTH</b>	4.25 in
<b>PRODUCT WEIGHT</b>	2.65 lb



*Powering Business Worldwide*

## Certifications and compliances

AREA CLASSIFICATION	Ordinary/Non-Hazardous Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	4

## Product specifications

AMPERAGE RATING	60A
VOLTAGE RATING	600 Vac/250 Vdc
FREQUENCY RATING	50 to 400 Hz
GROUNDING TYPE	Style 2
CONFIGURATION	Three-wire, four-pole
RECEPTACLE STYLE	Spring door
MATERIAL	Copper-free aluminum
SPECIAL FEATURES	Reversed contacts

## Resources

CATALOGUES	<a href="#">Arktite 60A Metallic Plugs, Receptacles and Connectors catalog page</a>
CERTIFICATION REPORTS	<a href="#">Arktite Metallic Plugs, Receptacles and Connectors UL certification (AR)</a>
INSTALLATION INSTRUCTIONS	<a href="#">IF 1229 - Arktite Plugs and Receptacles, Model M4, 30, 60, 100A</a> <a href="#">IF 352 - Model M72 Arktite Plugs and Receptacles</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - AR642 S22</a>

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:

**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

---

© 2025 Eaton. All Rights Reserved.

