

## SWINGOUT 1U LGX PATCH PANEL

---

PDS-0208



### DESCRIPTION

Wirewerks Optical Fiber Swingout 1U LGX Patch Panel is equipped with a pivoting drawer that maximizes the front access so inside-panel manipulation and splices are easier to perform. The patch panel is made of 16 gauge cold rolled steel (CRS) with a powder coated finish. Adapter strips up to 48 fibers, or cassettes can be installed into the 2 LGX cut-outs using their push pin mechanism.

**FEATURES  
and BENEFITS**

- Swing out drawer for an easy front and inside panel access
- Removable front cover
- Fits 2 LGX adapter strips and cassettes
- Fits 2 Next Step™ Splice Trays part number NS-SPL-24 (not included)
- Installation hardware and instruction manual included
- Compatible with 19" and 23" racks and cabinets

**APPLICATIONS**

- Entrance Facility
- Telecommunications Room
- Equipment Room
- Consolidation Point
- Central Office

**ORDERING  
INFORMATION**

Part Number	Description
PP-S1UL	Swingout 1U LGX Rack Mount Patch Panel - Empty

*Note: fully loaded solutions available. Please contact your local sales representative.*

**PACKAGING  
and SHIPPING**

Description
Cardboard box: 1 unit/box

**INCLUDED**

Included
2 x Self-adhesive port ID labels 1 x Warning labels 1 x Velcro 16" tie wraps 5 x Velcro 3" tie wraps 6 x Nylon 8" tie wraps 4 x Philips screws 12-24/0.5" long 4 x Philips screws 10-32/0.5" long 1 x Hex nuts with tooth washer for 8-32 Screws

**STANDARDS  
COMPLIANCE**

**TIA-569-B**

Commercial Building Standard for  
Telecommunications Pathways and Spaces

**CEA/EIA-310-E**

Cabinets, Racks, Panels and  
Associated Equipment standard

**ANSI/TIA/EIA-606-A**

Administration Standard for  
Telecommunications Infrastructure

**GR-449-CORE**

Generic Requirements and Design  
Consideration for Fiber Distributing Frames

**UL 94**

Tests for Flammability of Plastic Material  
for Parts in Devices and Appliances

**RoHS**

Directive on Restriction of  
Hazardous Substances