


[PRODUCTS \(/PRODUCTS\) ▾](#)
[SUPPORT ▾](#)
[INNOVATIONS \(/INNOVATIONS\)](#)

[SIGN UP / LOG IN](#)

[View More +](#)
[2719-20](#)
[2719-21](#)
[\(/Products/Power-Tools/SAWZALL-Reciprocating-Saws/HACKZALLS/2719-20\)](#)

M18™ FUEL™ Hackzall® Kit

The Milwaukee 2719-21 M18™ FUEL™ HACKZALL® is the fastest cutting and most powerful one-handed reciprocating saw. Utilizing a POWERSTATE™ Brushless Motor and a best in class 7/8" stroke length, the M18™ FUEL™ HACKZALL® cuts up to 50% faster than competitors. The compact, one-handed design provides superior control and the ability to make cuts in tight spaces. The dual gear counter balance mechanism provides up to 4x lower vibration than traditional reciprocating saws, resulting in faster cut-starts in metal and reduced user fatigue. REDLINK PLUS™ Intelligence ensures optimized performance and protects your investment from overload, overheating, and over-discharge. The M18™ REDLITHIUM™ XC5.0 Battery Pack provides more work per charge and more work over the life of the pack than competitive batteries. A rubber seal and weep holes provide superior protection against water and debris.

Close

INCLUDES:

- (1) M18™ FUEL™ Hackzall® Kit (2719-21) (/Products/Power-Tools/SAWZALL-Reciprocating-Saws/HACKZALLS/2719-21)
- (1) M18 XC5.0 REDLITHIUM Battery Pack
- (1) M18/M12 Multi-Voltage Charger
- (1) General Purpose SAWZALL® Blade

[Read More](#)

[Where To Buy](#)

KEY FEATURES**SPECIFICATIONS****REVIEWS****UP TO 3X LONGER TOOL LIFE**

- POWERSTATE™ Brushless Motor has no wearable parts, which keeps the motor running longer without needing service
- REDLINK PLUS™ Intelligence protects against overload and over heating
- Rubber seal and weep holes provide added protection against water ingress and debris



UP TO 4X LOWER VIBRATION

- POWERSTATE™ Brushless Motor has no wearable parts, which keeps the motor running longer without needing service
- REDLINK PLUS™ Intelligence protects against overload and over heating
- Rubber seal and weep holes provide added protection against water ingress and debris



FASTEST CUTTING

Cuts up to 3X faster than competitive one-handed recip saws



Cuts up to 50% faster than competitive one-handed recip saws

Up to 4x lower vibration for smooth cut starts & one-handed control

Compact and lightweight design allows for easier cutting in tight spaces or overhead applications

POWERSTATE™ Brushless Motor: Increased cutting speed and power through the toughest applications

REDLINK™ Plus Intelligence: The most advanced system of cordless power tool electronics; provides optimized performance and overload protection using total system communication between tool, battery and charger

REDLITHIUM™ battery technology: Superior pack construction, electronics and performance deliver more work per charge and more work over pack life than any battery on the market

One-handed design provides superior control and versatility over standard reciprocating saws

7/8" stroke length removes more material with each stroke resulting in the faster cuts

Pivoting shoe provides constant contact with the work-piece resulting in smoother cuts with less bucking and vibration

REDLINK PLUS™ intelligence and POWERSTATE™ Brushless Motor combine to provide up to 3x longer tool life than competitive one-handed reciprocating saws

M18™ REDLITHIUM™ Battery packs, compatible with 125+ solutions

↓ [Download Owners Manuals \(https://documents.milwaukeetool.com/58-14-1190d1.pdf\)](https://documents.milwaukeetool.com/58-14-1190d1.pdf)

↓ [Download Service Parts List \(https://documents.milwaukeetool.com/54-40-2740.pdf\)](https://documents.milwaukeetool.com/54-40-2740.pdf)

PRODUCT SPECIFICATIONS

| | |
|----------------------|--|
| Battery System | M18 |
| Length | 14" |
| Compatible Batteries | 48-11-1815; 48-11-1820; 48-11-1828; 48-11-1840; 48-11-1850; 48-11-1860; 48-11-1890 |
| Compatible Chargers | 2710-20; 48-59-1812; 48-59-1808; 48-59-1807; |
| Width | 3.31" |
| Weight | 4.07 lbs |
| Height | 7" |
| Power Source | Cordless |

SIGN ME UP!

Be the first to know about special offers, new product launches and events.

Email Address*

Trade*

Select a Trade



Postal Code*

Subscribe

(https://www.milwaukeetool.com/Products/Power-Tools/SAWZALL-Reciprocating-Saws/H... 10/1/2018)

PRODUCTS

- [Power Tools \(/Products/Power-Tools\)](#)
- [Lighting \(/Products/Lighting\)](#)
- [Hand Tools \(/Products/Hand-Tools\)](#)
- [Storage \(/Products/Storage-Solutions\)](#)
- [Work Gear \(/Products/Work-Gear\)](#)
- [Instruments \(/Products/Instruments\)](#)
- [Accessories \(/Products/Accessories\)](#)

ABOUT US

- [Milwaukee Story \(/Company/Milwaukee-Story\)](#)
- [Press Releases \(/News/Press-Releases\)](#)
- [Milwaukee Swag \(https://www.milwaukeetoolswag.com\)](#)
- [Careers \(https://www.milwaukeetool.jobs/\)](#)
- [Contact Us \(/Contact\)](#)

[CA :: EN - Change Site Language \(/Country-Selector\)](#)

[Where To Buy Milwaukee Products \(/Buy-Now\)](#)

DOWNLOAD CATALOGS



[Power Tools \(/media/PDFs/Catalogs-and-Sell-Sheets/M12-and-M18-Cordless-Catalog---2017.ashx\)](#)



[Power Tool Accessories \(http://www2.milwaukeetool.com/pta\)](http://www2.milwaukeetool.com/pta)

NEW PRODUCTS

[M18 FUEL™ High Torque ½” Impact Wrench with Pin Detent - 2766-20 \(/Products/Power-Tools/Fastening/Impact-Wrenches/2766-20\)](#)

[M18 FUEL™ Drain Snake w/ CABLE DRIVE™ - 2772A-20 \(/Products/Power-Tools/Drain-Cleaning/Sink-Machines/2772A-20\)](#)

[M18™ RADIUS™ Site Light/Charger w/ ONE-KEY™ - 2150-20 \(/Products/Lighting/Site-Lights/2150-20\)](#)

[PACKOUT™ Rolling Tool Box - 48-22-8426 \(/Products/Storage-Solutions/PACKOUT/PACKOUT-Tool-Boxes/48-22-8426\)](#)

[View More New Products \(/Products/New-Products\)](#)

HOW CAN WE HELP?

[Contact Us \(/Contact\)](#)

[Find A Service Center \(/Support/Find-A-Service-Center\)](#)

[Manuals and Downloads \(/Support/Manuals-and-Downloads\)](#)

[Work At Milwaukee \(https://www.milwaukeetool.jobs/\)](#)

© 2018 by Milwaukee Tool. All rights reserved.

[Legal \(/Footer/Legal\)](#) | [Safety Notices \(/News/Safety-Notices\)](#) | [Privacy \(/Footer/Privacy\)](#) | [Contact Us \(/Contact\)](#)