

# FISH TAPES

**Unique sloped handle** optimizes hand position for quick hand-over-hand rewinds

**Raised fingergrrips** transfer 100% of the winding power from your hand and fingers

**Polypropylene case and handle** offer the maximum in impact resistance

**Round inner ring design** provides a smooth, surface for winding and rewinding



US Patents: 8899554 D574,277; 8,212,178; 8,168,921; 8,164,025  
Other patents pending




**Available in steel and fiberglass** with a wide variety of tips

## Multi-Groove Fiberglass Fish Tapes

**Additional Features:**

- Fiberglass Performance at 25% Lower Cost!\*
- Rigidity for long distance
- Less surface contact when pushing through crowded conduit
- Durable 7" (178 mm) leader helps push through crowded conduit
- Available resin eyelet for total non-conductivity



Old Profile      New Profile



*Less surface contact with wires*



56055



Cat. No.	Tape Size	Reel Diameter	Weight
<b>Multi-Groove Fiberglass - 7" (179 mm) Spiral Leader</b>			
56055	100 ft. L x 3/16" W (30.5 m L x 4.8 mm W)	13" (330.2 mm)	3.0 lbs. (1.36 kg)
56056	200 ft. L x 3/16" W (61.0 m L x 4.8 mm W)	17" (431.8 mm)	6.2 lbs. (2.81 kg)
<b>Multi-Groove Fiberglass - Non-Conductive</b>			
56057	50 ft. L x 3/16" W (15.2 m L x 4.8 mm W)	13" (330.2 mm)	2.3 lbs. (1.04 kg)
56058	100 ft. L x 3/16" W (30.5 m L x 4.8 mm W)	13" (330.2 mm)	3.1 lbs. (1.41 kg)
56059	200 ft. L x 3/16" W (61.0 m L x 4.8 mm W)	17" (431.8 mm)	6.0 lbs. (2.72 kg)
<b>Replacement Parts and Kits</b>			
Cat. No.	Description	Included	Weight
56115	Fiberglass Fish Tape Repair Kit	(1) High Leverage Crimper, (2) 7" (177.8 mm) Flexible Leaders, (2) Eyelets, (1) Tube Quick-Drying Glue	2.2 lbs. (1.00 kg)
56025	Non-conductive Fish Tape Repair Kit	Non-Conductive Eyelets ( 2 Ea.), Tube Quick-Drying Glue (1 Ea)	2.2 lbs. (1.00 kg)
56116	Fiberglass Fish Tape Replacement Eyelets	—	1 oz. (27 g)
56120	Fiberglass Fish Tape Replacement Leaders	—	1.8 oz. (50 g)

\*When compared to published price of Klein Tools fiberglass fish tapes.

