

Product data sheet

Specifications



Universal Mounting Accessory, Harmony XV4/XV6/XVB7 Modular Tower Light, Alu Ø25mm Pole 800mm, Silver

XVZ800

Main

Product or component type	Accessory
Accessory / separate part type	Alu Ø 25mm pole 800mm length
Product compatibility	XVB7..... XV6..... XV4.....
Material	Aluminium
Net weight	0.686 lb(US) (0.311 kg)

Complementary

Height	31.5 in (800 mm)
cable entry	Bottom entry
Colour	Silver

Environment

IP degree of protection	IP66
Environmental Type ratings	UL type 1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.220 in (3.100 cm)
Package 1 Width	1.220 in (3.100 cm)
Package 1 Length	31.890 in (81.000 cm)
Package 1 Weight	13.333 oz (378.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	27
Package 2 Height	5.118 in (13.000 cm)
Package 2 Width	12.205 in (31.000 cm)
Package 2 Length	32.677 in (83.000 cm)
Package 2 Weight	24.485 lb(US) (11.106 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	81
Package 3 Height	29.528 in (75.000 cm)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	91.091 lb(US) (41.318 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	4 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.3 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Again



Repack and remanufacture

Recyclability potential, in %	87
Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative



