

Specifications



Eaton DSD941 SA

Eaton Crouse-Hinds series DSD snap switch cover and device sub-assembly, 30A, 3-way, Copper-free aluminum, 120/277 Vac

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series DSD snap switch cover and device sub-assembly
CATALOG NUMBER	DSD941 SA
PRODUCT WEIGHT	2.26 lb

Photo is representative



EATON

Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
NEMA RATING	3 7 9

Product specifications

VOLTAGE RATING	120/277 Vac
CONFIGURATION	3-way
AMPERAGE RATING	30A
MATERIAL	Copper-free aluminum

Resources

CATALOGUES	DSD and DSDX Cover and Device Sub-assemblies catalog page
CERTIFICATION REPORTS	DSD Explosionproof Cover and Device Sub-assemblies Canadian certification DSD Explosionproof Cover and Device Sub-assemblies UL certification
INSTALLATION INSTRUCTIONS	IF 1929 - Toggle Operator for EDS, EDSX, EFD, DSD and DSDX Series IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations IF 1424 - DSD, GFS, CPS and ENR Series Replacement Covers
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - DSD941 SA

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

