

Specifications

Eaton AH460C9W

Eaton Arrow Hart pin and sleeve connector, IP69K Rated, #8 - #2 AWG, #10 - #2 AWG (Ground), #12 - #16 AWG (Pilot), 60A, 3Ø 250V, Back wire, Nickel plated brass, IP67, Nylon, 3-pole, 4-wire, 0.66-1.5in (1.68-3.81cm), Female, 7 1/2 HP, 3PH



General specifications

PRODUCT NAME	Eaton Arrow Hart pin and sleeve connector
CATALOG NUMBER	AH460C9W
PRODUCT LENGTH/DEPTH	11.5 in
PRODUCT HEIGHT	5.125 in
PRODUCT WIDTH	5.125 in
PRODUCT WEIGHT	2.092 lb
CERTIFICATIONS	cRUus



Powering Business Worldwide

Product specifications

TYPE	Connector
AMPERAGE RATING	60A
VOLTAGE RATING	250 V
CONTACT MATERIAL	Nickel plated brass
APPLICATION	Industrial, food and beverage, wastewater treatment
NUMBER OF WIRES	Grounding 4
NUMBER OF POLES	Three-pole
CORD DIAMETER	0.66-1.5in (1.68-3.81cm)
PHASE	Three-phase
ENVIRONMENTAL RESISTANCE	IP69K IP67
COLOR	Blue
GENDER	Female
HORSEPOWER	7.50 hp
ALLOWABLE WIRE SIZE	#8-2 AWG, #10-2 AWG (ground), #12-16 AWG (pilot)
TORQUE RATING	28 lbf-inch
DESIGN TYPE	Pin and sleeve connector
FACE/BODY MATERIAL	Nylon
MATERIAL	Nylon

Resources

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

