



## Main

Range of Product	Altivar
Accessory / separate part category	Mounting and fixing accessories
Accessory / separate part type	Mounting plate
Product compatibility	ATV12H018F1 ATV12H018M2 ATV12H018M3 ATV12H037F1 ATV12H037M2 ATV12H037M3 ATV12H055M2 ATV12H075M2 ATV12H075M3 ATV12HU15M2 ATV312H018M2 ATV312H018M3 ATV312H037M2 ATV312H037M3 ATV312H055M2 ATV312H075M2 ATV312H075M3 Variable speed drive ATV320...C 0.18 kW, 200...240 V, single phase Variable speed drive ATV320...C 0.37 kW, 200...240 V, single phase Variable speed drive ATV320...C 0.55 kW, 200...240 V, single phase Variable speed drive ATV320...C 0.75 kW, 200...240 V, single phase
Accessory / separate part destination	Variable speed drive
Range Compatibility	Altivar 312 Solar Altivar 12 Altivar 312 Altivar Machine ATV320

## Complementary

Mounting Support	35 mm symmetrical DIN rail
------------------	----------------------------

## Ordering and shipping details

Category	22042-ATV12 DRIVE AND ACCESSORIES
Discount Schedule	CP4B
GTIN	3606480074851
Returnability	Yes
Country of origin	JP

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.91 in (7.400 cm)
Package 1 Width	6.85 in (17.400 cm)
Package 1 Length	9.06 in (23.000 cm)
Package 1 Weight	10.72 oz (304.000 g)
Unit Type of Package 2	P06

Number of Units in Package 2	50
Package 2 Height	29.53 in (75.000 cm)
Package 2 Width	23.62 in (60.000 cm)
Package 2 Length	31.50 in (80.000 cm)
Package 2 Weight	62.94 lb(US) (28.550 kg)

### Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>

### Contractual warranty

Warranty	18 months
----------	-----------

---

Dimensions

---

