



Main

| | |
|------------------------------------|----------------------|
| Accessory / separate part category | Cabling accessory |
| Accessory / separate part type | Pre-wired connectors |
| Series name | General purpose |

Complementary

| | |
|--------------------------------|-------------------------------------|
| Electrical connection | Elbowed female connector M8, 3 pins |
| Cable connector fixing | Screw-on |
| Collar material | Metal |
| Status LED | Without |
| Cable length | 32.81 ft (10 m) |
| Cable outer diameter | 0.18 in (4.6 mm) |
| Cable composition | 3 x 0.25 mm ² |
| Wire insulation material | PVC |
| [Ue] rated operational voltage | 60 V AC 75 V DC |
| [In] rated current | 3 A |
| Contact resistance | 5000 µOhm |
| Minimum insulating resistance | 1 GΩ |
| Net weight | 0.72 lb(US) (0.326 kg) |

Environment

| | |
|---------------------------------------|----------------------------|
| IP degree of protection | IP67 IP65 |
| Product certifications | CULus |
| Ambient air temperature for operation | -25...80 °C static |
| Ambient air temperature for storage | -13...176 °F (-25...80 °C) |

Packing Units

| | |
|------------------|----------------------|
| Package 1 Weight | 10.41 oz (295.000 g) |
| Package 1 Height | 1.18 in (3.000 cm) |

| | |
|------------------|---------------------|
| Package 1 width | 7.87 in (20.000 cm) |
| Package 1 Length | 7.87 in (20.000 cm) |


Offer Sustainability

| | |
|----------------------------|---|
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|


Dimensions



L : Length of cable

Connections and Schemes

Connector



- BU : Blue
- BN : Brown
- BK : Black