

Eaton 63CR69

Catalog Number: 63CR69

Eaton corrosion resistant locking receptacle, #12-6 AWG, 50A, Marine, 125/250V, Back wiring, Black, Single, Impact and chemical resistant, Non-NEMA, Three-pole, Four-wire, grounding, Steel



General specifications

| | |
|--|-----------------------------|
| Product Name | Catalog Number |
| Eaton corrosion resistant locking plug | 63CR69 |
| UPC | Product Length/Depth |
| 040893682082 | 3.75 in |
| Product Height | Product Width |
| 2.38 in | 2.38 in |
| Product Weight | Certifications |
| 0.784 lb | UL Listed |
| | CSA certified |
| | cULus Listed |

Electrical Ratings

Amperage Rating

50 A

NEMA configuration

Non-NEMA

Operating temperature

-40 to 105 °C (-40 to 221 °F)

Torque rating

45 lbf-inch

Voltage rating

125/250 V

Wiring method

Back

Product Specifications

Allowable wire size

#12-6 AWG

Application

Marine

Design type

Single receptacle

Device grade

Marine

Number Of Poles

Three-pole

Receptacle type

Locking

Type

Locking receptacle

Environmental Specifications

Environmental resistance

Impact and chemical resistant

Material Specifications

Color

Black

Contact material

Nickel plated brass

Face/body material

Glass filled nylon

Material

Stainless steel

Resources

Catalogs

[Arrow Hart Buyers Guide Section C](#)

Specifications and datasheets

[Eaton Specification Sheet - 63CR69](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)