

# Rittal – The System.

Faster – better – everywhere.

## Utility tray for TS, SE, CM, PC – TS 4638.800

Date : Jan 29, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Utility tray for TS, SE, CM, PC – TS 4638.800

erstellt am : 29.01.2015 build on www.rittal.com/us-en



## Product description

**Description:** Provides a working surface for programming devices and other equipment. Mounts to the tubular door frame of TS, SE, CM, PC or on any sufficiently large surface. Quickly folds out during servicing while providing maximum surface space. Saves space by folding down in between tubular door frames when not in use.

**Material:** Carbon steel

**Color:** RAL 7035

**Packaging unit:** 1 pc(s).

**EAN:** 4028177107519

**Customs tariff number:** 73269098

**eCl@ss 5.1:** 27189201

**eCl@ss 7.0:** 27182290

## Product features

**Suitable for:** Enclosure type: TS 8  
Enclosure type: SE 8  
Enclosure type: CM  
Enclosure type: PC

**Suitable for door width:** 800 mm ( 31 " )

**Support area:** Width: 613 mm ( 24 " )

Depth: 400 mm ( 16 " )

---

**Load capacity:** max. 30 kg.

---

**Weight:** 3.8 kg ( 8.4 lb. )

---

## Downloads

---

**Documentation:**  [Info sheet \(EN, DE\)](#)

---

**CAD drawings:** Request

---

2015 © Rittal Corporation