



## 9410L

### **LESS THAN 3 LBS + 2207 LUMENS = BRIGHTEST & LIGHTEST IN ITS CLASS**

At less than 3 pounds and 2207 lumens, the new 9410L LED Lantern packs the power without the weight. Four LEDs, powered by the latest generation Lithium-Ion batteries illuminate a distance of 495 yards (453 meters). And it's loaded with innovative technology and features you have come to expect from Pelican. Whether you're on a USAR team or the 3rd shift at a refinery, you'll appreciate the compact size and high output of the new 9410L LED Lantern.

- Built Pelican tough
- Super bright LED beam
- Approved to NFPA (National Fire Protection Association) 1901
- Carrying Strap included



### DIMENSIONS

<b>Length</b>	8.75" (22.2 cm)
---------------	-----------------

### MATERIALS

<b>Body</b>	ABS
<b>O-Ring</b>	EPDM
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	EXL

### COLOURS

 Black	 High Visibility Yellow
---	--

### LIGHT SPECS

<b>Lamp Type</b>	LED
------------------	-----

### POWER

<b>Battery Size</b>	18650
<b>Battery Type</b>	Lithium-Ion
<b>Battery Quantity</b>	6
<b>Batteries Included</b>	yes
<b>Rechargeable</b>	yes
<b>Charge Time</b>	8 hrs
<b>Battery Level Indicator</b>	RGB LED
<b>Volts</b>	7.2v

### WEIGHT







<b>Weight With Batteries</b>	44.7 oz (1267 gr)
<b>Weight Without Batteries</b>	0.0 oz (0 gr)

## SWITCH

**Switch Type** Push Button  
**Light Modes** High / Low / Flashing

## OTHER

**Minimum Pack** 1  
**Package Code** B

FL1 STANDARD	HIGH	LOW
	2207 LUMENS	463 LUMENS
	3h 15mins	11h 0mins
	453m	207m
	51304cd	10710cd
	1m	
	IPX4	

## ACCESSORIES



**8056F**  
12v Plug-in for Fast Charger



**9419L**  
Replacement Battery



**9416L**  
Deck/Dash Charger Base Unit



**6061F**  
Direct Wiring Rig for Fast Charger

---

**Pelican**  
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 02-27-20*