

Rittal – The System.

Faster – better – everywhere.

Utility tray for TS, SE, CM, PC – TS 4638.600

Date : Jan 29, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Utility tray for TS, SE, CM, PC – TS 4638.600

erstellt am : 29.01.2015 build on www.rittal.com/us-en



Product description

Description: Provides a working surface for programming devices and other equipment. Mounts to the tubular door frame of TS, SE, CM, PC or on any sufficiently large surface. Quickly folds out during servicing while providing maximum surface space. Saves space by folding down in between tubular door frames when not in use.

Material: Carbon steel

Color: RAL 7035

Packaging unit: 1 pc(s).

EAN: 4028177107496

Customs tariff number: 73269098

eCl@ss 5.1: 27189201

eCl@ss 7.0: 27182290

Product features

Suitable for: Enclosure type: TS 8
Enclosure type: SE 8
Enclosure type: CM
Enclosure type: PC

Suitable for door width: 600 mm (24 ")

Support area: Width: 413 mm (16 ")

Depth: 400 mm (16 ")

Load capacity: max. 30 kg.

Weight: 3.8 kg (8.4 lb.)

Downloads

Documentation:  [Info sheet \(EN, DE\)](#)

CAD drawings: Request

2015 © Rittal Corporation