


Product data sheet

Specifications



protection module, Harmony
Electromechanical Relays, RC
circuit, for All sockets, 24...60V AC

RZM041BN7

Main

Range of product	Harmony Electromechanical Relays
Accessory / separate part category	Protection accessories
Product or component type	Protection module
Accessory / separate part designation	RC circuit
Product compatibility	Socket RSZ 1 C/O) Socket RSZ 2 C/O) Socket RGZ 1 C/O) Socket RGZ 2 C/O)
Product destination	RSB relay
[Uc] control circuit voltage	24...60 V AC
Sale per indivisible quantity	10

Complementary

Product weight	0.02 lb(US) (0.01 kg)
----------------	-----------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	2.362 in (6.000 cm)
Package 1 Length	1.181 in (3.000 cm)
Package 1 Weight	0.071 oz (2.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.181 in (3.000 cm)
Package 2 Width	2.756 in (7.000 cm)
Package 2 Length	4.331 in (11.000 cm)
Package 2 Weight	0.776 oz (22.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	1500
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	7.769 lb(US) (3.524 kg)
------------------	-------------------------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Connections and Schema

Wiring Diagram

