

Product data sheet

Specifications



Legend holder 40x60mm for flush mounted heads, Harmony XB5, plastic, without legend

ZBZF33

Main

Product or component type	Legend holder
Accessory / separate part category	Marking accessory

Complementary

Material	Plastic
Device composition	Legend holder
Accessory / separate part destination	Ø 22 mm control or signalling unit For built-in-flush head
Range compatibility	Harmony XB5 Harmony XB4
Legend holder size	40 x 60 mm
Sale per indivisible quantity	10
Product weight	0.002 lb(US) (0.001 kg)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.2 in (0.4 cm)
Package 1 Width	1.6 in (4.0 cm)
Package 1 Length	2.4 in (6.0 cm)
Package 1 Weight	0.1 oz (3.0 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.2 in (3.0 cm)
Package 2 Width	3.1 in (8.0 cm)
Package 2 Length	3.9 in (10.0 cm)
Package 2 Weight	1.2 oz (33.0 g)
Unit Type of Package 3	S02
Number of Units in Package 3	800
Package 3 Height	5.9 in (15.0 cm)
Package 3 Width	11.8 in (30.0 cm)
Package 3 Length	15.7 in (40.0 cm)
Package 3 Weight	6.497 lb(US) (2.947 kg)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Recyclability potential, in %	0
Circularity Profile	No need of specific recycling operations
Take-back	No

Dimensions Drawings


Dimensions



Mounting and Clearance

Panel Cut-out for Pushbuttons, Switches and Pilot Lights (Finished Holes, Ready for Installation)


For use on flat surface of a type 4, type 4X, type 12, and type 13



(1) Ø30.75 mm recommended (Ø30.5 mm $^{+0.5}_0$) / Ø1.21 in. recommended (Ø1.20 in. $^{+0.019}_0$)

Technical Illustration

Dimensions



Offer Marketing Illustration

Product benefits / Features

Caractéristiques techniques

Harmony XB5



Offer Marketing Illustration

Product benefits / Features

Bouton poussoir en plastique

Harmony XB5



Montage et démontage rapides et faciles



Excellente connexion mécanique avec la tête de commande



Différents types de connexions : borniers à vis-étrier, Push-in, connecteur Faston & broches pour circuit imprimé



Robustesse pour résister aux environnements difficiles



Large choix d'accessoires pour personnaliser vos panneaux



Image of product / Alternate images

Alternative





