



Main

| | |
|------------------------------------|---|
| Range | Linergy |
| Product name | FT |
| Device short name | GV1G |
| Product or Component Type | Terminal block |
| Accessory / separate part category | Connection accessory |
| Poles description | 3P |
| Range compatibility | TeSys GV2 TeSys Deca TeSys U TeSys LS1 |

Complementary

| | |
|--------------------------------|--|
| [Ie] rated operational current | 63 A |
| Mounting Location | Top |
| IP degree of protection | IP20 conforming to IEC 60529 |
| [Ui] rated insulation voltage | 690 V IEC 60947-1 |
| Connections - terminals | Screw clamp terminals 1 solid AWG 4 Screw clamp terminals 1 0.00...0.02 in ² (1.5...16 mm ²) flexible with cable end Screw clamp terminals 1 0.00...0.02 in ² (1.5...16 mm ²) flexible without cable end Screw clamp terminals 1 0.00...0.04 in ² (1.5...25 mm ²) solid Screw clamp terminals 2 0.00...0.01 in ² (1.5...4 mm ²) flexible with cable end Screw clamp terminals 2 0.00...0.01 in ² (1.5...6 mm ²) solid Screw clamp terminals 2 0.00...0.01 in ² (1.5...4 mm ²) flexible without cable end Screw clamp terminals 1 flexible AWG 4 |
| Tightening torque | 15.05 Lbf.in (1.7 N.m) screw clamp terminals 19.47 lbf.in (2.2 N.m) connector |
| Net Weight | 0.09 lb(US) (0.04 kg) |

Environment

| | |
|------------------------|----------------|
| Product Certifications | CE[RETURN]UKCA |
|------------------------|----------------|

Ordering and shipping details

| | |
|-------------------|----------------------------------|
| Category | 22366-MAN STR PROTECTORS-GV1/GV3 |
| Discount Schedule | I11 |
| GTIN | 3389110212570 |
| Returnability | Yes |
| Country of origin | RO |

Packing Units

| | |
|------------------------------|------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.57 in (4 cm) |
| Package 1 Width | 1.97 in (5 cm) |
| Package 1 Length | 2.17 in (5.5 cm) |
| Package 1 Weight | 1.69 oz (48 g) |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 70 |

| | |
|------------------------------|--------------------------|
| Package 2 Height | 5.91 in (15 cm) |
| Package 2 Width | 11.81 in (30 cm) |
| Package 2 Length | 15.75 in (40 cm) |
| Package 2 Weight | 8.11 lb(US) (3.678 kg) |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 1120 |
| Package 3 Height | 30.31 in (77 cm) |
| Package 3 Width | 31.50 in (80 cm) |
| Package 3 Length | 23.62 in (60 cm) |
| Package 3 Weight | 150.31 lb(US) (68.18 kg) |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sets of Busbars GV2G... with Terminal Block GV1G09

