

Product data sheet

Specifications

SQUARE D



TRANSFORMER CURRENT 600:5

7RL601

! Discontinued on: 09 January 2023

Product availability : Stock - Normally stocked in distribution facility

! Discontinued

Main

Product	General Purpose Current Transformer
Certifications	CSA UL Recognized
Ratio	600/5
Enclosure Type	NEMA 1
Phase	1 phase
Power Rating	12.5 VA 60 Hz 25 VA 400 Hz
Electrical Connection	Flying leads 24 in (609.60 mm), AWG 16
Opening Size	Ø 2.25 in

Complementary

Net Weight	3.53 lb(US) (1.6 kg)
------------	----------------------

Ordering and shipping details

Category	15500-CLASS 4210 CT'S (LC 5101)
Discount Schedule	PA1
GTIN	785901676799
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.95 in (7.501 cm)
Package 1 Width	1.30 in (3.31 cm)
Package 1 Length	2.80 in (7.12 cm)
Package 1 Weight	3.60 lb(US) (1.633 kg)


Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



Recommended replacement(s)