

# Rittal – The System.

Faster – better – everywhere.

## **Wall-Mounted Housing WM – WM 8017.528**

Date : Jan 29, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wall-Mounted Housing WM – WM 8017.528 - WM121206NC

erstellt am : 29.01.2015 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Door: Carbon steel, all-round foamed-in PU seal Housing: Carbon steel
<b>Surface finish:</b>	Housing and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 4
<b>Supply includes:</b>	Housing with door(s) Left hand hinge Mounting plate Rear wall mounting holes Quarter turn latch with slotted head insert
<b>Packaging unit:</b>	1 pc(s).

## Product features

<b>Dimensions:</b>	Height: 300 mm ( 12 " ) Width: 300 mm ( 12 " ) Depth: 150 mm ( 5.9 " )
<b>Mounting plate:</b>	Height: 275 mm ( 11 " ) Width: 254 mm ( 10 " )

---

**Weight:** 7 kg ( 15.4 lb. )

---


## Approvals

**Approvals:**  [UL \(EN\)](#)

---

## Downloads

**Data sheets:**  [Graphics \(US\)](#)

**Documentation:**  [Info sheet \(US\)](#)  
 [Load brochure \(US\)](#)

---

**CAD drawings:** Request

---

2015 © Rittal Corporation