

TNST**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Product image

In contrast to the terminal blocks with integrated disconnect lever, our disconnect plugs can be completely detached or removed from the terminal block and the respective application and offer a flexible alternative solution to our standard disconnectors.

General ordering data

| | |
|------------|------------------------------------|
| Version | Accessories, Disconnect plug, 20 A |
| Order No. | 1833090000 |
| Type | TNST |
| GTIN (EAN) | 4032248471485 |
| Qty. | 50 pc(s). |

TNST

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|----------|-----------------|------------|
| Depth | 29.73 mm | Depth (inches) | 1.17 inch |
| Height | 11.3 mm | Height (inches) | 0.445 inch |
| Width | 2.7 mm | Width (inches) | 0.106 inch |
| Net weight | 1.04 g | | |

Material data

| | |
|--------|--------|
| Colour | yellow |
|--------|--------|

System specifications

| | |
|---------|--------|
| Version | Spacer |
|---------|--------|

Additional technical data

| | | | |
|--------------------------|---------|---------------------|-----------------|
| Explosion-tested version | No | Installation advice | Direct mounting |
| Type of fixing | Plugged | | |

Dimensions

| | |
|-----------------|--------|
| Pitch in mm (P) | 2.7 mm |
|-----------------|--------|

General

| | |
|---------------------|-----------------|
| Installation advice | Direct mounting |
|---------------------|-----------------|

Rating data

| | | | |
|---------------------------------|-------|--------------------|------|
| Rated voltage | 500 V | Rated current | 20 A |
| Rated impulse withstand voltage | 6 kV | Pollution severity | 3 |
| Surge voltage category | III | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002018 | ETIM 7.0 | EC002018 |
| ETIM 8.0 | EC002018 | ETIM 9.0 | EC002018 |
| ECLASS 9.0 | 27-14-11-92 | ECLASS 9.1 | 27-14-11-49 |
| ECLASS 10.0 | 27-14-11-92 | ECLASS 11.0 | 27-14-11-92 |
| ECLASS 12.0 | 27-14-11-92 | ECLASS 13.0 | 27-25-03-90 |
| ECLASS 14.0 | 27-25-03-01 | | |

Environmental Product Compliance

| | |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC | No SVHC above 0.1 wt% |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

TNST**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Downloads**

| | |
|--------------------|--|
| Engineering Data | CAD data – 36403_TNST_DXF.dxf CAD data – STEP |
| User Documentation | StorageConditionsTerminalBlocks |
| Catalogues | Catalogues in PDF-format |
| Brochures | |