

Product data sheet

Characteristics

8903LG1000V02

Contacteur, Type L, multipole lighting, electrically held, 30A, 10 pole, 600V, 110/120VAC 50/60Hz coil, NEMA 1



Main

| | |
|---------------------------|--------------------------------------|
| Product or Component Type | Electrically Held Lighting Contactor |
| Range of Product | 8903L |
| Control Circuit | Separate control circuit |

Complementary

| | |
|---------------------------------|-----------------------------------|
| Control Circuit Voltage | 110 V AC 50 Hz 120 V AC 60 Hz |
| Inrush power in VA | 180 VA 60 Hz 170 VA 50 Hz |
| Hold-in power consumption in VA | 35 VA 60 Hz 35 VA 50 Hz |
| Current Rating | 20 A tungsten 30 A fluorescent |
| Number of Poles | 10P 10 NO |
| Control Unit | No control units |
| Pilot Light | No indicator |
| Electrical Connection | Screw-clamp terminals |
| Height | 12.68 in (322 mm) |
| Depth | 6.02 in (153 mm) |
| Width | 7.80 in (198 mm) |

Environment

| | |
|------------------------|------------------------------------|
| Enclosure Type | NEMA 1 painted sheet steel surface |
| Product Certifications | UL Listed[RETURN]CSA |

Ordering and shipping details

| | |
|-------------------|-----------------------|
| Category | 21321-8903 L (NOT LX) |
| Discount Schedule | CP1 |
| GTIN | 785901851530 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------------|--------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 7.28 in (18.5 cm) |
| Package 1 Width | 8.31 in (21.1 cm) |
| Package 1 Length | 13.70 in (34.8 cm) |

| | |
|------------------------------|---------------------------|
| Package 1 Weight | 10.69 lb(US) (4.85 kg) |
| Unit Type of Package 2 | PAL |
| Number of Units in Package 2 | 50 |
| Package 2 Height | 40.00 in (101.6 cm) |
| Package 2 Width | 40.00 in (101.6 cm) |
| Package 2 Length | 48.00 in (121.92 cm) |
| Package 2 Weight | 540.49 lb(US) (245.16 kg) |

Offer Sustainability

| | |
|-----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |
| PVC free | Yes |
| Halogen content performance | Halogen free plastic parts product |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Approximate Dimensions

