

## VP 21-MS65

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Similar to illustration



In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

## General ordering data

Version	VPMS (blinking plug in brass), Blanking plug, in closed state, PG 21, 6 mm, Brass, nickel-plated
Order No.	<a href="#">0295 100000</a>
Type	VP 21-MS65
GTIN (EAN)	4008190128593
Qty.	50 pc(s).
Delivery status	<b>This article will no longer be available in the future.</b>
Available until	2024-08-31
Alternative product	<a href="#">0295 160000</a>

Creation date November 26, 2024 12:19:14 PM CET

Catalogue status 26.11.2024 / We reserve the right to make technical changes.

## VP 21-MS65

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Height	10 mm	Height (inches)	0.394 inch
Length	10 mm	Length (inches)	0.394 inch
Diameter	32 mm	Wall thickness, min.	0.5 mm
Wall thickness, max.	5 mm	Net weight	20.76 g

## Temperatures

Operating temperature	-40 °C...100 °C
-----------------------	-----------------

## General information

Cable glands	PG	Diameter of sealing ring	28.3 mm
External thread	PG 21	Halogen	No
Head diameter	32 mm	Length of thread	6 mm
Material	Brass, nickel-plated	O-Ring	NBR
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Protection degree	IP68 - 5 bar (30 min.)	Sealing	NBR
Silicone	No		

## Classifications

ETIM 6.0	EC000451	ETIM 7.0	EC000451
ETIM 8.0	EC000451	ETIM 9.0	EC000451
ECLASS 9.0	27-14-44-25	ECLASS 9.1	27-14-44-33
ECLASS 10.0	27-14-44-25	ECLASS 11.0	27-14-44-25
ECLASS 12.0	27-14-08-05	ECLASS 13.0	27-14-08-05
ECLASS 14.0	27-14-08-05		

## Environmental Product Compliance

RoHS Compliance Status	Compliant with exemption
RoHS Exemption (if applicable/known)	6c
REACH SVHC	Lead 7439-92-1
SCIP	0c0edf9f-b35a-4d1f-b8f0-99d4b22ac203

## Approvals

Approvals



ROHS	Conform
------	---------

## Downloads

Engineering Data	<a href="#">CAD data – STEP</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	

**Data sheet**

**VP 21-MS65**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

