

Product data sheet

Characteristics

T02GN13G7

NEMA Contactor, TeSys N, nonreversing, Size 5, 270A, 200HP at 460VAC, 3 pole, 3 phase, 120VAC 50/60Hz coil, open



Main

| | |
|----------------------------|---|
| Product Type | Contactator |
| Range | TeSys N |
| Contactator Type | Non-reversing |
| NEMA Size | 5 |
| Motor Horsepower Rating HP | 75 Hp 200 V AC 100 Hp 230 V AC 200 Hp 460 V AC 200 hp 575 V AC |

Complementary

| | |
|--------------------------------|-------------------------|
| Rated Current | 270 A |
| [Ue] Rated Operational Voltage | 600 V AC |
| Network Phases | 3 phase |
| Number of Poles | 3P |
| Control Circuit | Common control circuit |
| Coil Voltage | 120 V AC |
| Auxiliary Contact Composition | 1 NO |
| Electrical Connection | Lugs ordered separately |
| Height | 8.11 in (205.99 mm) |
| Width | 8.39 in (213.11 mm) |
| Depth | 8.71 in (221.23 mm) |
| Product Weight | 20.52 lb(US) (9.31 kg) |

Environmental

| | |
|---------------------------|-------------------------|
| Product Certifications | UL Listed[RETURN]CSA |
| NEMA Degree of Protection | Not rated (open device) |

Ordering and shipping details

| | |
|-------------------|--------------------------------------|
| Category | 21197-TESYS N CONTACTORS SIZES 3 - 7 |
| Discount Schedule | CP1 |
| GTIN | 785901162193 |
| Returnability | No |
| Country of origin | US |

Packing Units

| | |
|------------------------------|-------------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 20.52 lb(US) (9.308 kg) |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Compliant with Exemptions |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |